

LIST OF OPTIONAL EXTRAS (M)

			Model	
M 1	Chrome bumpers, hub caps, tail pipes, front flashing indicators, hood and door handles; additionally with moldings and sun vizer for passenger			
	F 117 000 001	-- 117 999 000	111, 112	
M 1	Torsion bar front axle and swing type rear axle instead of suspension struts and double joint rear axle			
	F 111 2000 001	-- 112 3200 000	113, 114	
M 3	Single carburetor engine instead of twin carburetor engine			
	M 2555 340	-- 313 2500 000	311-314; 343-346; 361-364	
	(for models 343-346			
	F	-- 345 220 883)		
M 4	4 speed manual transmission with double-joint axle			
	F 159 000 001	-- 150 3100 000	151, 152	USA, Canada
	F 149 000 001	-- 144 2999 000	141-144	USA, Canada
	F 119 000 001	-- 117 2200 000	113, 114	USA, Canada
	F 116 2000 001	-- 116 2200 000	M 599: 112	Australia
M 5	Saxomat			
	34 b.h.p. engine			
	M 5 000 001	-- D 0 095 049	141-144	
	M 5 000 001	-- D 0 234 014	113, 114	
	M D 0 000 001	-- D 0 234 014	111, 112	
M 6	Front axle support and reinforced rear torsion bars			
	F 150 2141 186	-- 150 3100 000	151, 152	
	F 140 2141 186	-- 144 2999 000	141-144	
	F 110 2141 186	--	113, 114	
M 9	Automatic transmission			
	37 b.h.p. engine			
	M E 0 015 982	-- E 0 020 100	M 59/M 87/M 240: 113, 114	
			151, 152	
	M E 0 020 101	-- E 0 022 000	M 87/M 240: 113, 114, 151, 152	
	40 b.h.p. engine			
	M F 1 462 599	-- F 1 790 008	M 59/M 87: 113, 114, 151, 152	
	M F 1 790 009	-- F 2 200 000	M 87: 113, 114, 151, 152;	
			M 52/M 610: 111, 112	
	M L 0 019 430	-- L 0 026 500	M 240: 113, 114	
			141-144, 151, 152	
	M AC 0 000 001	-- AC 0 010 000	M 87/M 240: 113, 114	
			1302, 1303;	
			M 52/M 240/M 610: 111, 112	
	44 b.h.p. engine			
	M H 0 879 927	-- H 1 350 000	113, 114, 141-144, 151, 152	
	M H 5 077 366	-- H 5 900 000	M 157: 113, 114,	
			141-144, 151, 152	
	M AB 0 000 001	-- AB 0 990 000	{ M 87: 113, 114; 1302, 1303;	
	M AR 0 000 001	-- AR 0 150 000		
	46 b.h.p. engine			
	M AF 0 000 001	-- AF 0 279 319	M 240: 113, 114, 141-144	
	M AF 0 000 001	-- AF 0 279 268	M 240: 1302, 1303	
	47 b.h.p. engine			
	M B 6 000 001	-- B 6 600 000	M 157: 113, 114,	
			141-144, 151, 152	

			Model	
48 b.h.p. engine				
M AE 0 558 001	--	AE 1 000 000	M 26/M 157: 113, 114, 141-144	
M AE 0 558 001	--	AE 0 917 263	M 26/M 157: 1302, 1303	
M AE 0 917 264	--	AE 1 000 000	1303: 133, 153	
M AG 0 000 001	--	AH 0 500 000	M 26/M 27/M 157: 113, 114, 141-144	
M AH 0 000 001	--	AH 0 005 900	M 26/M 27/M 157: 1302, 1303	
M AH 0 005 901	--	AH 0 500 000	M 27/1303: 133, 153	
M AK 0 000 001	--	AK 0 239 493	M 26/M 157: 113, 114, 141-144; 1303: 133, 153	
50 b.h.p. engine				
M AD 0 000 001	--	AD 0 990 000	113, 114, 141-144	
M AD 0 000 001	--	AD 0 598 001	1302	
M AD 0 598 002	--	AD 0 990 000	1303: 135, 136, 151, 152	
M AE 0 000 001	--	AE 0 558 000	M 26/M 27: 113, 114, 1302, 141-144; 1303: 133, 153	
M AS 0 000 001	--	AS 0 526 948	113, 114, 141-144	
M AS 0 000 001	--	AS 0 468 053	1303: 135, 136, 151, 152	
M AJ 0 000 001	--	AJ 0 012 504	M 108: 113; M 307: 113	
M AJ 0 000 001	--	AJ 0 012 504	1303: 133, 153	
M 9	Yellow taillights			Australia, Italy
F	--	146 1021 300	141-144	
M 10	Additional dust sealing for engine compartment			
F	--	213 2102 496	211-274	
M 10	with side panel — trim panel			German Post Office
F	175 3128 043 --		171	
M 11	Sealed beam headlights, flashing indicators with side marker light, red taillights, emergency light system, dual circuit brake warning light, back up lamp, without headlamp flasher, parking lamps and steering lock			USA, Canada
F	148 000 001 --	149 1200 000	141, 143	
(F	149 000 001 --			
	without emergency light)			
M 11	Sealed beam headlights, flashing indicators with side marker light, red taillights, buzzer for ignition-starter switch, side marker reflectors, back-up lamps in taillights, dual circuit brake warning light but without headlamp flasher parking lamps and steering lock			
F	140 2000 001 --	141 3200 000	141, 143	
M 11	Sealed beam headlights, flashing indicators with side marker light, red taillights, buzzer for ignition-starter switch, dual circuit brake warning light, but without headlamp flasher parking lamps and steering lock			
F	142 2000 001 --	144 2999 000	141, 143	
	Additional with town horn			
F	144 2000 001 --	144 2999 000	141, 143	

			Model	
M 12	Exhaust emission indicator			USA
	F 115 2000 001 -- 115 2600 000		M 307: 113	
	F 115 2000 001 -- 117 2200 000		M 108: 113	
	F 135 2000 001 -- 135 2600 000		133	
	F 155 2000 001 --		153	
	F 175 3128 043 --		171, 173	
	F 215 2000 001 --		211-231	
	F 325 2000 001 --		321, 323, 331	
	F 535 2014 140 --		531	
M 13	Front bench seat and rear seat in passenger compartment and interior trim		231, 235	
M 14	Sign "Volkswagen"		1302, 1303; 311-318, 361-368	Export markets
	F 116 000 001 -- 114 2999 000		113, 114, 151, 152	
	F -- 349 500 000		343-346	
	F -- 140 3100 000		141-144	
	F 114 2000 001 -- 114 2999 000		111, 112	
M 15	Front bench seat, 3 seater in passenger compartment		231, 234	
M 15	Bench seat, front with folding backrest in passenger compartment			
	F 287 2500 001 --		M 363: 281, 291	
M 16	Pick-up with double cab (M 16 standard equipment from 1st June 1964)		265-268	
M 16	Bench seat, center with folding backrest in passenger compartment			
	F 287 2500 001 --		M 363: 281, 291	
M 17	Lap safety belt mounting points			
	F -- 116 1021 300		111-114, 151, 152	
	F 145 000 001 -- 146 1021 300		141-144	
M 18	Larger reflectors in the brake indicator light			Sweden
	F 4 010 995 -- 117 507 257		113, 114, 151, 152	
M 18	Steering wheel, padded			
	F 177 3000 001 --		171-174	
	F 328 2000 001 --		M 602, M 603: 321-332	
M 18	Emergency light system			
	F 318 000 001 -- 318 500 000		311-318, 343-346, 361-368	
M 19	without headlamp flasher			
	F 116 000 001 -- 119 1200 000		113, 114, 141-144, 151, 152	
	F 119 000 001 -- 119 1200 000		111, 112	
	F 148 000 001 -- 149 1200 000		141-144	
	F 348 000 001 -- 349 500 000		343-346	
	F -- 219 300 000		211-274	
M 20	Speedometer in miles			Export markets
M 21	Both doors lockable from outside			Export markets
	F 5 888 185 -- 6 502 399		151, 152	
	F 5 888 185 -- 117 999 000		113, 114	
M 22	Sealed-Beam-headlight (vertical) with emergency warning light			
	F -- 116 1021 300		111-114, 151, 152	Export markets
M 22	Sealed-beam-headlight (angled) with emergency light system			Export markets except USA, Canada
	F 117 000 001 -- 117 999 000		111-114, 151, 152	
M 22	Sealed-beam-headlight (vertical)			
	F 118 000 001 -- 119 1200 000		111-114, 151, 152	

		Model	
M 22	Sealed-beam headlight (vertical) and back-up lamps on bumper F 110 2000 001 — — 113 2199 583	111, 112	
M 22	Sealed-beam headlight (vertical) and back-up lamps in taillights F 150 2000 001 — — 150 3100 000 F 110 2000 001 — — 114 2999 000 F 113 2199 584 — — 114 2999 000 F 111 2000 001 — — 135 2600 000	151, 152 113, 114 111, 112 1302; 1303: 135, 136 151, 152	
M 22	Sealed-beam headlight	171-174; 321-332; 531, 532	Export markets except USA
M 23	Comprising: M 227; sealed-beam headlights, flashing indicators with side marker lights, red taillights, padded instrument panel and safety armrests, dual circuit brake warning light, back-up lamps in taillights, but without headlamp flasher, parking lamps and steering lock F 118 000 001 — — 119 1200 000	113, 151	USA, Canada
M 23	comprising: M 227; sealed-beam headlights, flashing indicators with side marker light, red taillights, buzzer for ignition starter switch, side marker reflectors, back-up lamps in taillights, instrument panel cover and safety armrests, dual circuit brake warning light, but without headlamp flasher, parking lamp and steering lock F 150 2000 001 — — 150 3100 000 F 110 2000 001 — — 117 2200 000 F 111 2000 001 — — 112 3200 000	151 113 1302: 113, 151	USA, Canada USA, Canada USA, Canada
M 24	Sealed-beam headlamps, red taillights, side flashing indicators and back-up lamps F — — 219 300 000 F 210 2000 001 — —	211-268 211-268	USA, Canada Export markets not for USA, Canada
M 25	Instrument panel, speedometer with trip recorder; clock F 213 2000 001 — — F 285 2000 001 — —	211-274 281-286, 291-296	
M 25	Speedometer with trip recorder (Km) F — — 866 1590 000 F — — 176 3500 000 F — — 536 2500 000	863 171-174 531, 532	

			Model	
M 26	Activated carbon container for absorbing fuel vapour		171-174; 321-332; 531, 532	USA, Canada, Japan
	F 110 2000 001	-- 112 3200 000	113, 114, 141-144, 151, 152	USA, Canada
	F 151 2000 001	-- 156 2200 000	1302; 1303: 135, 136, 151, 152	
	F	-- 116 2200 000	111-114	Japan, Australia
	F 310 2000 001	-- 312 2500 000	311-314, 361-364	USA, Canada
	F	-- 212 2300 000	211-274	California
	F	-- 216 2120 000	211-234	Japan
	F 216 2120 001	--	211-234	Australia
	F	-- 412 2100 000	411-466	USA, Canada, Japan
	F 183 2346 525	--	181	Mexico
	F 483 2527 742	-- 483 2590 000	482	Japan
	F 328 2000 001	--	322, 324, 332	Australia
M 27	Lap belt with retractor			USA, Canada
	F 117 000 001	-- 117 999 000	111-114, 151, 152	
	F 147 000 001	-- 147 999 000	141-144	
	F	-- 317 500 000	311-318, 361-368	
M 27	Compliance with US (west coast) exhaust emission standards		421, 461; 321, 323, 331	USA (west coast)
	F 112 2000 001	-- 117 2200 000	M 9/M 26/M 157: 113, 141, 143, 1302	
	F 184 2219 789	-- 184 2818 496	M 157: 181	
	F 133 2000 001	--	1303: 133, 153	
	F 176 3000 001	-- 176 3500 000	M 157: 171, 173	
	F 177 3000 001	--	M 151: 171, 173	
	F 536 2000 001	-- 536 2500 000	M 157: 531	
	F 537 2000 001	--	M 151: 531	
	F 312 2000 001	-- 312 2500 000	M 236: 311, 313, 361, 363; M 236/M 249: 311, 313, 361, 363	
	F 413 2000 001	-- 414 2100 000	M 157: 411, 421, 461	
	F 328 2000 001	--	M 556: 322, 324	Japan
M 27	Compliance with exhaust emission standards			USA (west coast)
	F 214 2032 447	--	211-234	Japan
	F 116 2071 468	-- 117 2200 000	211-234	
	F 156 2108 077	--	112	Japan
			1303: 151	Japan
M 29	Towing hook front and rear			
	F	-- 211 2300 000	211-268	
M 29	Additional electric heating for choke cover			Sweden, Finland, Norway
	F 483 2543 805	-- 483 2590 000	481	
M 30	Headlamp flasher with simultaneous license plate illumination			Austria
	F	-- 212 2088 996	211-271	
	F	-- 312 2066 941	311-318, 361-368	
	F	-- 112 2427 792	111, 113, 151	
	F	-- 112 2482 841	1302: 113, 151	
	F	-- 142 2360 746	141, 143	
	F	-- 182 2482 840	181	
	F	-- 349 500 000	343, 345	
	F	-- 412 2100 000	421, 425, 461, 465	
	F	-- 482 2527 391	481	

			Model	
M 32	Brake/indicator light			Italy, Australia
	F	-- 4 010 994	111-114, 151, 152	
M 32	Filler cap - Fuel tank, lockable		171-174; 181, 182; 211-274; 281-286, 291-296; 321-332; 531, 532	
	F 133 2000 001	-- 135 2600 000	1303: 135, 136	
	F 143 2000 001	-- 144 2999 000	141-144	
	F 153 2000 001	--	1303: 151, 152	
	F 113 2000 001	--	111-114	
	F	-- 865 1599 000	863	
	F 866 3000 001	-- 866 2500 000	861, 862	
	F 867 2300 001	--	861-866	
M 33	With additional rear flashing indicators			Italy, Australia
	F	-- 802 985	211-274	
M 34	Turn signals front, clear glass/yellow, parking light warning lamp and front seat backrest lock			Italy
	F 116 000 001	-- 116 1021 300	111, 112	
M 34	Turn signals front, clear glass/yellow, parking light warning lamp			Italy
	F	-- 150 3100 000	151, 152	
	F	-- 112 3200 000	112, 114, 1302	
	F	-- 113 3200 000	111, 113; 1303: 135, 151	
	F	-- 184 2805 543	181	
M 34	Turn signals front, clear glass/yellow			Italy
	F 114 2000 001	-- 114 2999 000	111, 113; 1303: 135, 151	
M 34	Turn signals front, clear glass side turn signals but without emergency light system			Italy
	F 115 2000 001	-- 116 2071 467	111	
	F 135 2000 001	-- 135 2600 000	1303: 135	
	F 155 2000 001	-- 157 2029 457	1303: 151	
M 34	Turn signals front, clear glass side turn signals, gravity valve in fuel line but without emergency light system			Italy
	F 116 2071 468	-- 117 2033 885	111	
M 34	Side turn signals but without emergency light signal			Italy
	F 117 2033 886	-- 117 2063 700	111	
	F 157 2029 458	-- 157 2060 038	1303: 151	
M 34	Side turn signals, rear view mirror but without emergency light system			Italy
	F 117 2063 701	--	111	
	F 157 2060 039	--	1303: 151	
M 34	Parking light warning lamp Turn signal front clear glass/yellow without emergency light system			Italy
	F 181 2805 544	-- 186 2115 080	181	

			Model	
M 34	Turn signals front clear glass/yellow, but without emergency light system, with rear view mirrors, outer, left and right (convex) F 181 2115 081 — — 186 2115 960		181	Italy
M 34	Rear view mirrors, outer, left and right (convex), but without emergency light system F 186 2115 961 — —		181	Italy
M 34	Flashing indicator front, clear glass, side-mounted flashing indicators F — — 214 2300 000		211-271	Italy
M 34	Turn signals clear glass, side turn signals but without emergency light system F 215 2000 001 — —		211-271	Italy
M 34	High volume horn and front turn signals with clear glass		311-318, 316-368	Italy
M 34	Turn signals clear glass/yellow, side turn signals and parking light warning lamp F — — 349 500 000 F — — 142 3200 000 F — — 144 2999 000		343-346 142, 144 141, 143	Italy
M 34	Flashing indicator front, clear glass F — — 485 2590 000		481	Italy
M 34	Turn signals front, clear glass, side turn signals, head lamp flasher wired through low beams, without emergency light system, reinforced rear springs F — — 866 1590 000 F — — 866 2500 000		863 861	Italy
M 34	Headlamp flasher wired through low beams, without emergency light system, side-mounted turn signals, reinforced rear springs F 867 2300 001 — — 867 2371 003		861, 863	Italy
M 34	Headlamp flasher wired through low beams, without emergency light system, side mounted turn signals, reinforced rear springs and gravity valve F 867 2371 004 — —		861, 863, 865	
M 34	Instrument panel lighting which cannot be turned off completely (parking light control), turn signals front, clear glass and side turn signals but without emergency light system F — — 176 3500 000 F — — 536 2500 000 F — — 287 2502 768		171, 173 531 281, 283, 285, 291, 293, 295	Italy

		Model	
M 34	Instrument panel lighting which cannot be turned off completely (parking light warning lamp) side turn signals but without emergency light system F 177 3000 001 -- F 537 2000 001 -- 537 2500 000 F 287 2502 769 --	171, 173 531 281, 283, 285, 291, 293, 295	
M 34	Instrument panel lighting which cannot be turned off completely (parking light warning lamp) but without emergency light system F 538 2000 001 --	531	Italy
M 34	Side turn signals yellow, head lamp flasher wired through low beams, reinforced springs, check valve for fuel tank ventilation, bracket for licence plate F 327 2000 001 -- 327 2300 000	321, 323, 331	Italia
M 34	Side turn signals yellow, head lamp flasher wired through low beams, reinforced springs, check valve for fuel tank ventilation, bracket for licence plate but without emergency light system F 328 2000 001 --	321, 323, 331	
M 34	Head lamp flasher wired through low beams, reinforced springs, check valve for fuel tank ventilation but without emergency light system F 328 2000 001 --	321, 323, 331	Italy
M 34	Turn signals front clear glass but without parking lamp F -- 412 2100 000 F -- 414 2100 000	412, 416, 422, 426, 462, 466 411, 415, 421, 425, 461, 465	Italy
M 36	Parking light warning lamp, side flashing indicator and modified handbrake lever	211-274	Italy
M 36	Buffer F 134 2000 001 -- 134 2999 000 F 414 2000 001 -- 414 2100 000	1303: 135, 136, 151, 152 411-466	
M 36	Buffer F -- 327 2300 000	171, 173; 531 321, 323, 331	USA, Canada USA, Canada

			Model	
M 37	Without emergency light system			Italy, France
	F	-- 114 2999 000	111, 113, 141, 143, 151; 1302: 113, 151	
	F	-- 134 2999 000	1303: 135, 151	
	F	-- 175 3025 867	171, 173	
	F	-- 184 2805 543	181	
	F	-- 214 2300 000	211-271 (LHD)	
	F	-- 313 2500 000	311-318, 361-368 (LHD)	
	F	-- 349 500 000	343-346	
	F	-- 414 2100 000	411-466 (LHD)	
	F	-- 484 2590 000	481	
	F	-- 534 2014 530	531	
M 38	without passenger seat			
	F 175 3128 043	--	171	
M 39	without seat and backrest, rear			
	F 115 2000 001	--	111, 112	
M 39	Cover plate instead of rear seat		171	German Post Office
M 40	Speedometer with fuel gauge			
	F 110 2000 001	--	111, 112	
M 44	Two-point safety belt, front (Restraint automatic)			
	F 175 3025 868	--	171, 173	USA
	F 175 3079 118	--	171, 173	
M 46	Side-mounted flashing indicators			Denmark, Norway,
			111-114, 151, 152 141-144; 171-174; 1302, 1303; Italy, Israel 321, 323, 331; 481; 531, 861-866	
	F 183 2346 525	--	181	
	F	-- 312 2066 941	315-318, 365-368	
	F 312 2066 942	-- 313 2500 000	311-318, 361-368	
	F	-- 412 2029 795	415, 416, 425, 426, 465, 466	
	F 412 2029 796	-- 414 2100 000	411-466	
	F 285 2000 001	--	281-286, 291-296	Export markets
M 46	side turn signals and inner rear view mirror			
	F 219 060 789	-- 219 300 000	211-271	Denmark, Norway
M 46	side-mounted turn signals			
	F 219 300 001	--	211-217	Denmark, Norway
M 47	Back-up light on bumper			
	F	-- 183 2346 524	181	
	F 117 000 001	-- 117 999 000	113, 114, 151, 152	
	F 117 000 001	-- 113 2199 583	111, 112	
	F 147 000 001	-- 149 1200 000	141-144	
	F	-- 319 500 000	311-318, 361-368	
	F 347 000 001	-- 349 500 000	343-346	
M 47	Back-up light			
	F	-- 211 2300 000	211-268	
M 48	Door trim panel, Arm rest, Ashtray, rear, and reclining seat			
	F 175 3168 642	--	171-174	Police, Export markets
	F 325 2054 339	--	321, 323, 331	Police
M 48	Seat, front (for German authorities)			
	F 116 2000 001	--	111, 112	German: Post office, Police
M 49	Brake lining wear indicator			
	F	-- 327 2300 000	171, 173; 531 321, 323, 331	USA, Canada

			Model	
M 50	Dual circuit brake warning light			
	F 158 000 001	-- 150 3100 000	151, 152	
	F 118 000 001	-- 113 3200 000	111-114	
	F 111 2000 001	-- 112 3200 000	1302: 113, 114	
	F 133 2000 001	-- 133 3200 000	1303: 135, 136	
	F	-- 182 3200 000	181	
	F 148 000 001	-- 143 3200 000	141-144	
M 50	Dual circuit and hand brake warning light		171-174; 861-866; 211-274; 321-332; 411-466; 531, 532	
	F 144 2000 001	-- 144 2999 000	141-144	
	F 114 2000 001	--	111-114	
	F 134 2000 001	-- 135 2600 000	1303: 135, 136	
	F 318 000 001	-- 313 2500 000	311-318, 361-368	
	F 285 2000 001	--	281-286, 291-296	
M 51	prepared for subsequent installation of a 2nd. alternator		211-274	
	F 184 2423 795	--	181, 182	
M 51	prepared for installation of a refrigerant compressor			
	F 287 2500 001	--	281, 282, 291, 292	
M 52	37 b.h.p. engine and equalizer spring			
	F 118 000 001	-- 110 3100 000	M 240: 111, 112	
M 52	40 b.h.p. engine and equalizer spring			
	F 118 000 001	-- 110 3100 000	111, 112	
	F 111 2000 001	-- 115 2600 000	M 240: 111, 112	
M 52	44 b.h.p. engine and equalizer spring			
	F 111 2000 001	-- 115 2600 000	111, 112	
M 53	Cloth upholstery instead of leatherette			
	F 119 000 001	-- 113 3200 000	111, 112	
	F	-- 215 2300 000	221-228, 241, 244	
M 54	Lockable glove compartment lid		1302: 113, 114; 1303: 133, 135, 136; 221-228, 241, 244	
	F 118 000 001	-- 114 2999 000	111-114	
	F 115 2000 001	-- 117 2200 000	M 108: 113	
	F 149 000 001	-- 144 2999 000	143, 144	
	F 318 000 001	-- 310 2500 000	311-318, 361-368	
	F 311 2000 001	-- 313 2500 000	315-318, 365-368; M 233: 311-314	
	F 286 2500 001	--	281-286, 291-296	
M 55	Steering lock with ignition starter switch			Export markets (standard in Germany)
	F 117 000 001	-- 119 1200 000	111-114, 141-144, 151, 152	
	F	-- 219 300 000	211-274	
M 55	Thermostatically-controlled flap in rear hood			USA
	F 114 2000 001	-- 114 2999 000	M 108: 113	
	F 134 2000 001	-- 134 2999 000	1303: 133, 153	
M 56	Steering-ignition lock		211-274	
M 58	Overrides front and rear			
	F	-- 134 2999 000	1302; 1303: 135, 136, 151, 152;	
	F 110 2000 001	-- 114 2999 000	113, 114	
	F 142 2000 001	-- 144 2999 000	141-144	

			Model	
M 59	Electric windshield washer		281-286, 291-296	
	F — — 175 3287 383		171, 173	
	F — — 325 2300 000		321, 323, 331	
M 59	Foot pump with wiper operating contact			
	F 866 2300 001 — — 866 2500 000		861	
M 59	Gearshift lock with ignition-starter switch			Export markets
	F — — 146 1021 300		141-144	(standard in Germany)
M 59	Thermostat-controlled carburetor pre-heating			Export markets
	37 b.h.p. engine			
	M E 0 015 146 — — E 0 020 100		M 52/M 240: 111, 112; M 87/M 240: 113, 114, 151, 152	
	40 b.h.p. engine			
	M F 1 380 778 — — F 1 790 008		M 52: 111, 112; M 87: 113, 114, 151, 152	
	34 b.h.p. engine			
	M D 0 458 808 — — D 0 540 002		111, 112; M 88: 113, 114, 151, 152	
M 60	Eberspächer stationary heater		111-114, 151, 152	not for USA
	F 184 2219 789 — —		141, 143; 1302, 1303	
	F 214 2000 001 — —		181	
	F 311 2000 001 — — 313 2500 000		211-271 (LHD)	
	F — — 411 2100 000		311-318, 361-368	
			421	
M 60	Eberspächer heater, carburetor engine			
	F 286 2512 353 — —		281, 282, 291, 292	
	Diesel			
	F 287 2512 115 — —		M 222: 281, 291	
M 60	Heater booster for underfloor heating			
	F 319 108 900 — — 319 500 000		311-318, 361-368	
M 62	Water container with decreased air capacity and additional air hose, additional rear view mirror, outer right, convex			Sweden
	F — — 110 3100 000		111, 113, 151	
M 62	With rear view mirror, outer right, convex			
	F 111 2000 001 — — 112 3200 000		111, 113; 1302: 113, 151	Sweden
M 62	With rear view mirror, outer left and right, convex			
	F 113 2000 001 — — 114 2999 000		113	Sweden
	F 133 2000 001 — —		1303: 135, 151	Sweden
M 62	Water container with smaller air chamber and additional air hose;		141-144, 343, 345	Sweden
	F 149 000 001 — — 140 3100 000		141, 143	
	rear view mirror, outer, right, convex			
	F 349 000 001 — — 349 500 000		343, 345	
	rear view mirror, outer, right, convex			

		Model	
M 62	Rear view mirror outer, right (convex) (LHD) F — — 219 300 000	211-271	Sweden
M 62	Sun vizor, right without mirror F 211 2000 001 — — 213 2300 000	221-225, 241	Sweden
M 62	Sun vizor, right without mirror and compliance with Sweden exhaust emissions standards F 214 2000 001 — —	211-268	Sweden
M 62	Water container with decreased air capacity and additional air hose, modified tail pipe; rear view mirror, outer, right, convex (LHD only) F — — 310 2500 000	311-318, 361-368	Sweden
M 62	Modified tail pipe; rear view mirror, outer, right, convex (LHD only) F 311 2000 001 — — 313 2500 000	311, 313, 315, 317, 361, 363, 365, 367	Sweden
M 62	Rear view mirror, outer right, convex	411, 415, 421, 425 461, 465	Sweden
M 62	Rear view mirror, outer right, convex and three-point safety belt (Automatic)	281, 283, 285 291, 293, 295	Sweden
M 62	Rear view mirror, right, convex exhaust pipe with zinc paint F — — 326 2087 472	321, 323, 331	Sweden
M 62	Rear view mirror, outer, right, convex, exhaust pipe with zinc paint, safety belts, front and rear and compliance with exhaust emission standards (unit 062:3); 1.6 l — 53 KW (72 b.h.p.) engine F 326 2087 473 — —	321, 323, 331	Sweden
M 62	Rear view mirror, outer, right, convex, exhaust pipe with zinc paint, safety belts, front and rear and K-Jetronic fuel injection (unit 049:4,5); 1.6 l — 61 KW (83 b.h.p.) engine F 327 2051 257 — —	321, 323, 331	Sweden
M 62	Sun vizor without vanity mirror and modified muffler F — — 485 2590 000	481	Sweden
M 62	Sun vizor without vanity mirror and modified front exhaust muffler F — — 176 3153 148 F — — 536 2019 822	171-174 531	Sweden Sweden
M 62	1.6 l — 55 KW (75 b.h.p.) engine unit 055:5 with exhaust emission control system, sun vizor without vanity mirror and modified rear exhaust muffler F 176 3153 149 — — 176 3500 000 F 536 2019 822 — — 536 2500 000	171-174 531	Sweden Sweden
M 62	Sun visor without vanity mirror and modified exhaust muffler F 177 3000 001 — — F 537 2000 001 — —	171-174 531	Sweden Sweden
M 62	With outer rear view mirror, right, convex, sun vizor, right without mirror, modified tail pipe, warning triangle attachment	865, 866	Sweden

		Model	
M 62	With outer rear view mirror, right, convex, sun vizor, right without mirror, modified tail pipe, warning triangle attachment backrest, rear with locking hook	861, 862	Sweden
M 63	Special equipment comprising: black-out lights, rear fog lamp, speedometer, with 10th km reading; fully suppressed and watertight, equipment fittings, starting handle, laminated windshield with stationary heater (Eberpächer) F — — 184 2219 788	181	
M 63	Special equipment comprising: black-out lights, rear fog lamps, speedometer, with 10th km reading, fully suppressed and watertight equipment fittings, starting handle, laminated windshield F 184 2219 789 — —	181	
M 66	Floor lining in load compartment	281, 282, 291, 292	
M 67	77 amp hour battery, 6 V F — — 117 999 000 F — — 115 2600 000	113, 114, 151, 152 111, 112	Export markets
M 69	Rifle bracket	181	
M 69	Stowage box for sub-machine gun	321, 323, 331	Police
M 70	Tilt for Pick-up	261, 264; 283, 284 293, 294; M 270: 285, 286	
M 71	2nd flap in side panel	261, 264	
M 74	Mud flaps rear F — — 327 2300 000	111-114, 151, 152 1302; 1303: 135, 136 151, 152; 171-174; 181, 182; 211-268; 281-286; 481, 482; 311-318, 361-368; 343-346; 531, 532 321-332	
M 75	Mud flaps, rear F — — 217 148 459	211-274	
M 75	Warning triangle attachment	311-318, 361-368	
M 78	Leatherette instead of cloth upholstery F 116 2000 001 — —	321-332 111, 112	
M 79	Leatherette instead of cloth upholstery F 114 2000 001 — — 115 2600 000	111, 112	
M 80	Disc brakes instead of drum brakes F — — 112 3200 000 F — — 135 2600 000 F 159 000 001 — — 150 3100 000 F 119 000 001 — — 114 2999 000	M 87/1302; M 88/1302: 113, 114; M 87/1303: 135, 136; 151, 152; M 88/1303: 135, 136 M 87, M 88: 151, 152 M 87, M 88: 113, 114,	

			Model	
M 80	Disc brakes instead of drum brakes (Germany only)			
	F	-- 175 3287 383	171-174	
	(Export only)			
	F	-- 175 3500 000	171-174	
M 80	Divided cab partition		211, 213, 215, 231, 233, 235, 237	
M 81	Divided cab partition		221, 223, 225, 241	
M 82	Mounting parts for first aid kit		171-174; 211-271; 311-318; 331, 332; 361-368; 411-466; 861-866	
	F	-- 135 2600 000	1302, 1303: 135, 136, 151, 152;	
	F 111 2000 001	-- 115 2600 000	111-114, 141-144	
	F 336 2000 001	--	331, 332	
	F 538 2000 001	--	531, 532	
M 82	Front indicators with lateral light diffusion			Denmark
	F 116 463 103	-- 117 999 000	111-114, 151, 152	
M 83	Warning triangle attachment		171-174; 311-318, 361-368; 861-866	
M 83	Retaining strap for warning triangle		321, 323, 331	Sweden
M 86	VW 1200 (without equalizer spring)			
	F 117 483 306	-- 117 999 000	M 129: 111, 112	
M 86	Drum brakes, self-adjusting		1303: 135, 136, 151, 152; 171-174, 321, 323, 331; 531, 532; 861-866	Sweden
	F 143 2000 001	-- 144 2999 000	141-144	
	F 113 2000 001	-- 114 2999 000	111-114	
	F 313 2000 001	-- 313 2500 000	311-318, 361-368	
	F 413 2000 001	-- 414 2100 000	411-466	
	F 483 2500 001	-- 485 2590 000	481	
	F 214 2000 001	--	211-274	
M 87	37 b.h.p. engine			
	Single circuit drum brakes			
	F 117 000 001	-- 117 999 000	M 240: 113, 114, 151, 152	
	Dual circuit drum brakes			
	F 118 000 001	-- 110 3100 000	111-114, 141-144, 151, 152	
M 87	40 b.h.p. engine			
	Single circuit drum brakes			
	F 117 000 001	-- 117 999 000	113, 114, 151, 152	
	Dual circuit drum brakes		M 240/1302; M 240/1303	
	F 118 000 001	-- 110 3100 000	111-114, 141-144, 141, 152	
	F 111 2000 001	-- 114 2999 000	M 240: 113, 114	
M 87	44 b.h.p. engine			
	Dual circuit drum brakes		1302; 1303: 135, 136, 151, 152	
	F 111 2000 001	-- 114 2999 000	M 87: 113, 114	