

			Model	
M 258	detachable headrest		861-866	
	F	-- 414 2100 000	411, 412, 421, 422, 461, 462	
	F	-- 485 2590 000	481, 482	
	F 325 2088 252	--	321-332	
	F 156 2000 001	--	1303: 151, 152	
	F 175 3249 664	--	171-174	
	F 117 2000 001	--	111, 112	
	F 117 2000 001	-- 117 2200 000	M 108: 113	
	F 537 2000 001	--	M 409: 531, 532	
M 259	Mounting points for lap safety belts			Export markets
	F	-- 316 500 000	311-318, 361-368	
	F	-- 346 500 000	343-346	
M 260	Rear seat backrest without armrest		311-314; 411, 412, 421, 422	
M 261	additional rear view mirror, outer, right, plane			
	F	-- 112 3200 000	1302: 151	
	F	-- 155 2600 000	1303: 151	
	F	-- 150 3100 000	151	
	F	-- 313 2500 000	365-368	
	F	-- 144 2999 000	141, 143	
	F	-- 485 2590 000	481	
M 261	Rear view mirror, outer, plane for passenger		171-174; 321-332; 531, 532; 861-866	
M 262	Fuel gauge			
	F	-- 866 2327 882	861, 862	
M 263	Payload of 1.2 t instead of 1 t			
	F 215 2000 001	--	211, 214	
M 263	Payload 1.25 t instead of 1.5 t		M 184, M 594: 281-286	
M 263	heavy duty equalizer spring for increased payload			
	F 367 000 001	-- 313 2500 000	361-368	
M 263	Rear axle (heavy duty)		321-332	
M 265	without seat and backrest, rear, with luggage compartment lining (rubber) and rear side panel linings (hardboards)		171, 172	Denmark
M 265	Welded in side window panels, center and rear		365-368	
M 265	with partition and intermediate floor, without rear seat and backrest		331, 332	Export markets except USA
M 267	Transmission ratio 8:35 instead of 8:33			
	F 183 2346 525	-- 184 2818 486	181	
M 267	With motorway ratio 9:40 instead of 8:39		281-286, 291-296	
M 267	Auxiliary spring for rear axle			
	F	-- 366 500 000	361-368	
M 270	Low-loader Pick-up 2500 mm wheelbase		285, 286	

		Model	
M 272	Steering gear assy with steering damper	321-332	
M 273	Sealed beam headlights, red taillights, but without headlamp flasher		
F	— — 317 500 000	311-318, 361-368	Export markets and USA
F	318 000 001 — — 313 2500 000	311-318, 361-368	Export markets outer USA
M 274	Sealed beam headlights, red taillights, emergency lights, without headlamp flasher		Export markets
F	— — 347 500 000	343-346	
	Sealed beam headlights, red taillights, without headlamp flasher, parking lamp and steering lock		
F	348 000 001 — — 349 500 000	343-346	
M 275	Cover for fog lamp	283, 284	Benelux markets
F	— — 349 500 000	343-346	
M 275	Width indicator lights, front and rear	283, 284, 293, 294 M 270: 285, 286	France Switzerland
M 276	Body with additional reinforcements	171-174; 321-332; 531, 532	
M 277	Rear hood without slots		Switzerland
F	133 2000 001 — — 135 2600 000	M87/1303: 135, 136, 151, 152	
F	113 2000 001 — — 104 2999 000	M 87: 113	
F	115 2000 001 — — 115 2600 000	M 52: 111, 112	
M 277	1.1 l - 38 KW (52 b.h.p.) engine unit 036:1	171, 173, 531	Switzerland
M 277	1.1 l - 38 KW (52 b.h.p.) engine unit 052:2	861, 863, 865	Switzerland
M 278	Side-mounted flashing indicators instead of parking lamps		Italy, Austria, Denmark, Finland, Norway
F	— — 312 2066 941	311-314, 343, 346, 361-364; M 234: 315-318	
F	— — 412 2029 795	411, 412, 421, 422, 461, 462	
M 280	with steering lock (M 59)	281-286, 291-296	
M 281	Special reflectors and yellow headlamps bulbs		France, Algeria, Morocco
F	— — 316 500 000	311-318, 361-368	
M 282	Sun vizor for passenger		
F	111 2000 001 — —	111, 112	
F	866 2300 001 — —	861-862	
F	867 2300 001 — —	863, 865, 866	
M 282	Sun vizor with mirror		
F	311 2000 001 — — 313 2500 000	315-318, 365-368; M 233: 311-314	
M 282	Yellow headlamp bulbs		France
F	— — 346 500 000	343-346	
M 283	Brake pressure regulator	861-866	
M 285	88 amp hour battery		
F	— — 316 500 000	311-318, 343-346, 361-368	
M 286	Bumper, rear with recess for licence plate		Export markets
F	— — 311 2500 000	315-318	

		Model	
M 288	Headlight washer	171-174; 321-332; 531, 532; 861-866	not for USA, Canada
	F 114 2000 001 -- 114 2999 000	113, 114	
	F 134 2000 001 --	1303: 135, 136, 151, 152	
	F 214 2000 001 --	211-274	
	F 286 2500 001 --	M 59: 281, 283, 285, 291, 293, 295	
	F 414 2000 001 -- 414 2100 000	411-466	
	F 484 2500 001 -- 485 2590 000	481	
M 289	Sheer bolts for column tube attachment	1302; 1303	Denmark
		135, 136, 151, 152; 211-274	
	F 112 2000 001 -- 114 2718 376	111-114	
	F 142 2000 001 -- 144 2999 000	141-144	
	F 312 2000 001 -- 313 2500 000	311-318, 361-368	
	F 412 2000 001 -- 414 2100 000	411-466	
	F 484 2500 001 -- 485 2590 000	481	
M 289	Sheer bolt for steering lock		
	F -- 865 1516 215	863	
M 290	Mud flaps, rear		The Netherlands
	F -- 311 2108 457	311-318, 361-368	
M 296	reinforced rear springs	283-286	
M 297	Sealed beam headlights, red taillights, but without headlamp flasher and parking lamp	311-314, 361-364; M 234: 315-318	Export markets and USA Export markets outer USA
	F -- 317 500 000		Export markets and USA
	F 318 000 001 -- 313 2500 000		Export markets outer USA
M 298	Upholstery combination palisander colour	415, 416, 425, 426, 465, 466	
M 299	Rear seat backrest lock	331, 332; 461-466	Sweden, USA, Canada
	F 312 2000 000 -- 313 2500 000	361-368	Canada
M 303	Engine protection grille	861-866	
M 305	Sound absorbers for engine and transmission from underneath	281-286, 291-296	Switzerland
M 306	Road wheel 4 1/2 J x 13		
	F 175 3128 043 -- 175 3500 000	171, 173	USA
M 307	Basic model with torsion bar front axle for USA additionally with: M 4, M 12, M 23, M 85, M 89, M 137, M 157, M 185, M 190, M 227, M 228, M 253 for Canada additionally with: M 4, M 20, M 23, M 85, M 89, M 113, M 137, M 157, M 185, M 190, M 227, M 228, M 253		
	F 115 2000 001 -- 115 2600 000	113	USA, Canada
M 307	Basic model		
	F 175 3168 642 --	171	USA, Canada
M 308	Gas-filled spring instead of support for rear flap		
	F 177 3000 001 --	171-174	
	F 866 2300 001 -- 866 2500 000	861, 862	
M 309	Wheel disc 4 1/2 J x 13 rubber molding for rear bumper and grab handle		
	F 175 3128 043 --	171, 173	German Post office
M 310	Fuel tank (plastic)		
	F 325 2117 140 -- 326 2129 198	321, 323, 331	USA
M 310	Sound absorbers, front for engine from underneath	281-286, 291-296	Switzerland

		Model	
M 316	Payload 1.75 t with 2500 mm wheel base	293-296	
M 318	0.8 l 25 KW (34 b.h.p.) engine unit 052:4	861, 862, 865, 866	Sweden
M 330	Exhaust pipe center, instead of catalyst		USA Tourists
	F — — 176 3500 000	M 157: 171, 173	
	F — — 536 2500 000	M 157: 531	
M 335	1.6 l 35 KW (48 b.h.p.) engine M AL 0 004 630 — —	181	Austria
M 335	1.6 l 37 KW (50 b.h.p.) engine F 116 2000 001 — —	M 599: 111, 112	Austria
	F 156 2000 001 — —	1303: 151	Austria
	F 216 2000 001 — —	211-274	Austria
M 335	1.6 l 51 KW (70 b.h.p.) engine unit 055:7		
	F 176 3000 001 — — 177 3800 000	M 600: 171, 173	Austria
	F 536 2000 001 — — 537 2500 000	M 600: 531	Austria
M 335	1.6 l 51 KW (70 b.h.p.) engine and heavy duty exhaust pipe, rear F 326 2000 001 — —	321, 323, 331	Austria
M 343	Spare wheel outside load compartment F 288 2504 276 — —	281, 282, 291, 292	
M 344	Industrial engine 1.1 l 37 KW (50 b.h.p.)	036:1	not for USA, Canada
M 344	Industrial engine 1.6 l 55 KW (75 b.h.p.)	049:6	not for USA, Canada
M 345	Larger rear view mirror, outer (convex) F 286 2504 868 — —	281-286, 291-296	
M 345	additional outer rear view mirror convex F 336 2000 001 — —	331	The Netherlands
M 346	without exhaust recirculation F 326 2000 001 — —	049: 4:321, 323, 331	USA (without Westcoast), Canada
M 346	K-Jetronic fuel injection without exhaust recirculation F 177 3000 001 — —	M 151: 171, 173	Canada
	F 537 2000 001 — —	M 151: 531	Canada
M 349	Prepared for installation of a hydraulic pump F 287 2500 001 — —	283-286, 293-296	
M 356	Prepared for installation of a 2nd generator F 287 2500 001 — —	283-286, 293-296	
M 358	Modified location of exhaust gas recirculation valve F 177 3000 001 — —	172, 174	Sweden, Australia
M 361	Cubby hole lid, lockable, door contact switch on passenger side and instrument panel lighting F 325 2000 001 — —	321-332	
M 363	Interior trim and mounting points for bench seats and safety belts in load passenger compartment; padded strip for partition between driver and passenger compartment F 287 2500 001 — —	281, 282, 291, 292	

Model

M 364	Windows in sliding door and in opposite side panel			
F	287 2500 001	--		281, 282, 291, 292
M 365	with side windows, rear			
F	287 2500 001	--		281, 282, 291, 292
M 366	Partition behind drivers seat			281, 282, 291, 292
M 370	Revolving warning light, yellow			281, 291
M 404	with stabilizer front and rear			295, 296
M 409	Front seat in sports version, black cloth			
F	113 2000 001	--	114 2999 000	113, 114
F	133 2000 001	--	135 2600 000	1303: 135, 136
M 409	Front seats in sports version			321-332
F	177 3000 001	--		171-174
F	537 2000 001	--		531, 532
M 416	Safety steering wheel with additional deformation element			171-174; 531, 532
F	115 2000 001	--		M 603: 111, 112
	F 116 2000 001	--		111, 112
M 425	Rear window wiper and washer			331, 332; 861-863
F	175 3227 400	--		171-174
F	535 2028 363	--		531, 532
M 444	Wheel 5 1/2 J x 15 in sports version			
F	133 2000 001	--		1303: 135, 136, 151, 152
M 464	Metal fuel tank			331, 332
M 471	Sports version			
F		--	326 2300 000	321-332
F		--	536 2500 000	531, 532
F	176 3379 208	--		M 589: 171
F	537 2000 001	--		531, 532; M 600
M 485	Wheel disc in sports version (AL)			171-174; 321-332; 531, 532
F	483 2546 846	--	484 2590 000	481, 482
M 500	full-width partition lower with two-seat passenger seat			211-244
M 501	with passenger seat (two persons)			
F		--	216 2300 000	221, 224
F	218 000 001	--		211, 214, 231, 234
M 502	Side panel lining, luggage compartment covering with hard board			211, 216, 231-235
M 502	Side- and roof lining			M 520: 281, 282, 291, 292
M 503	Roof lining with hard board			211-216, 231, 235
M 504	with fresh air ventilation in load compartment			211-216, 231-235, 265, 268
M 506	with brake servo and dual circuit brake warning light			211-274
M 506	with brake servo			321-332; 861, 863, 865
F		--	414 2100 000	411, 415, 421, 461, 465
F	175 3000 001	--		171, 173
F	175 3255 601	--		172, 174

Austria, Switzerland,
Japan, Australia

		Model
M 507	Vent wings in cab doors	211-235, 261-274
M 508	with vent wings in passenger compartment opposite sliding door	
F	— — 211 2300 000	221-244
M 508	with vent wing in sliding door and in all windows in the opposite side panel	
F	212 2000 001 — — 217 2300 000	221-244
M 508	with vent wing in the double cab door and in the window in the opposite side panel	
F	212 2000 001 — —	265-268
M 508	Sliding window in sliding door and in the opposite side panel	
F	218 2000 001 — —	221-234
M 508	Sliding window in the side panel opposite the sliding door	
F	218 2000 001 — —	271, 274
M 508	with sliding window in sliding door and in opposite side panel	
F	287 2507 778 — —	281, 282, 291, 292
M 509	with dust-protected air intake, larger oil bath air cleaner and additional dust sealing	
F	— — 214 2300 000	261-268
M 510	Full-width partition, upper (for vehicles with M 500 only)	211-216
M 510	Partition front left and right	
F	286 2504 036 — —	281, 282, 291, 292
M 511	padded instrument panel (LHD only)	211-271
M 513	Protection runner for transmission	211-274
M 514	with air circulation heater	
F	— — 211 2300 000	211-244, 271, 274
M 515	High roofed van with extended sliding door	211
M 516	High roof (plastic)	211, 214
F	211 2065 218 — —	231, 234
F	286 2506 766 — —	281, 282, 291, 292
M 517	Campmobile	
F	— — 214 2057 729	231, 234
M 518	Campmobile with pop-up roof	
F	— — 214 2057 729	231, 234
M 519	with ventilation slots	211, 214
M 520	with sliding door left and right	211-244
F	286 2504 036 — —	281, 282, 291, 292
M 521	with additional chrome trim and sun vizor with mirror	
F	— — 219 3000 000	221-228
F	210 2000 001 — — 213 2300 000	
	without sun vizor with mirror	
M 523	harder front brake linings for taxi vehicles	
F	— — 412 2100 000	421, 425

		Model	
M 524	Sealed beam headlamps, dual circuit brake warning light, back-up light and side marker reflectors (LHD) F 219 000 001 — — without emergency light system F 210 2000 001 — — with buzzer for ignition-starter switch F 212 2000 001 — —	261-265 211-241	USA, Canada
M 525	Three-point safety belts front, left and right and lap belts in passenger compartment F — — 212 2088 996	211-265	USA, Canada
M 527	with exhaust emission control system (only in conjunction with M 156/M 240) M C 0 000 001 — — C 0 100 000	211-274	Japan
M 527	Exhaust control system F — — 111 3200 000	113, 114, 141-144, 151, 152; M 87: 113, 114, 151, 152; M 88/M 610: 111, 112; 1302; M 87/1302 311-318, 361-368 211-274	Japan, Sweden
	F 311 2000 001 — — 313 2500 000 F 211 2000 001 — —		
M 528	Rear view mirror, outer, right, convex	171, 173; 1302: 113, 151; 1303: 135, 151; 211-265; 311, 313 315, 317, 343, 345, 361, 363, 365, 367; 321, 323, 331; 411-466; 481; 531 111 113 151 141, 143 143, 345	
	F 119 000 001 — — F 119 000 001 — — 114 2999 000 F 159 000 001 — — 150 3100 000 F 149 000 001 — — 144 2999 000 F 349 000 001 — — 349 500 000		
M 528	additional rear view mirror, outer, convex for passenger	321-332; 861-866	
M 529	Full-width partition, upper with sliding window (for vehicles with M 500)	221-244	
M 529	Partition, center with sliding window F 286 2504 036 — —	M 510: 281, 282	
M 530	with automatic step	211-244	
M 531	with harder rear torsion bars F 141 2000 001 — — 144 2999 000 F 111 2000 001 — — 114 2999 000	221-228; 241, 244 141-144 111-114; 1302; 1303; 135, 136, 151, 152	
M 533	Warning system for taxis	221, 225, 241	
M 535	with tachograph	211-274	
M 535	with tachograph (motometer)	281, 283, 285, 291, 293, 295	

			Model	
M 537	Transistorized roof light with fluorescent tube			
	F	-- 213 2102 496	221-228, 241, 244	
M 540	Net partition between cab and load compartment		211-231	
M 542	Special equipment for German Armed Forces		231, 265, 271	German Armed Forces
M 544	Partition center with window between			
	F 286 2504 036	--	M 510: 281, 282, 291, 292	
M 546	with additional turn signals at the rear on the roof		211-274; 281, 282, 291, 292	
M 549	Three point safety belt for seat front		281-286, 291-296	not for USA, Canada
	F 134 2000 001	--	1303: 135, 136, 151, 152	
	F 114 2000 001	--	111, 114	
	F	-- 144 2999 000	141-144	
	F	-- 176 3500 000	171-174	
	F	-- 326 2300 000	321-332	
	F	-- 536 2500 000	531, 532	
	F	-- 866 1590 000	863	
	F	-- 866 2500 000	861, 862	
M 549	Three-point safety belt and lap belt front			
	F 214 2000 001	--	211-274	
M 549	Lap belt front			
	F 184 2000 001	--	181, 182	
M 551	Headlamp with Halogen lamps (H 4)		171-174; 211-274; 321-332; 531, 532; 861-866	not for USA, Canada
	F 158 000 001	-- 150 3100 000	151, 152	
	F 118 000 001	-- 114 2999 000	113, 114	
	F 118 000 001	-- 115 2600 000	M 610: 111, 112	
	F 116 2000 001	--	111, 112	
	F 111 2000 001	-- 112 3200 000	1302	
	F 133 2000 001	--	1303: 135, 136, 151, 152	
	F	-- 144 2999 000	141-144	
	F 316 000 001	-- 313 2500 000	311-318, 361-368	
	F 483 2500 001	-- 485 2590 000	481, 482	
	F 286 2500 001	--	281-286, 291-296	
M 552	without Eberspächer heater			
	F	-- 184 2219 788	181, 182	
M 552	without engine heating			
	F 184 2219 789	--	181, 182	
M 552	without heater booster		411-466	Export markets
M 553	Sealed beam headlights, flashing indicators with side marking lights, red taillights, side marker reflectors, back-up lamps in taillights, but without headlamp flasher and steering lock			USA
	F 183 2346 525	-- 183 3026 058	181	
	Additionally with town horn			
	F 184 2000 001	-- 184 2818 496	181	

[illegible]

			Model	
M 557	Clock with preselector heater time switch		411-466	
	F 215 2000 001	--	M 60: 211-271	
	F 311 2000 001	-- 313 2500 000	M 60: 311-318, 361-368	
M 558	with additional battery		411-466	
M 559	Apron, front with louvers		1302, 1303	
M 559	Factory-prepared for service installation of air conditioner		321, 323, 331	
	F 175 3168 642	--	171-174	
	F 535 2014 140	--	531, 532	
M 560	Steel sliding roof		111-114; 171-174; 1302: 113, 114; 1303: 133-136; 221, 231, 224, 234; 321-332; 411-466; 481, 482; 861-866	
M 561	Front door vent wings		861-866	
	F	-- 414 2100 000	411-466	
	F 325 2000 001	--	321-332	
	F 176 3005 557	--	171-174	
	F 286 2500 001	--	281-296	
	F 536 2000 012	--	531, 532	
M 562	Reclining seat		1303: 135, 136	
	F 113 2000 001	-- 114 2999 000	113, 114	
	F 114 2000 001	-- 115 2600 000	M 603: 111, 112	
	F 312 2133 001	-- 313 2500 000	311-314, 361-364; M 234	not for USA
M 562	Reclining seat		415, 416, 425, 426, 465, 466	
M 563	Backrest, rear with arm rest		415, 416, 425, 426	
M 565	Sports steering wheel		1303: 135, 136, 151, 152; 171-174; 531, 532	
	F 143 2000 001	-- 144 2999 000	141-144	
	F 114 2000 001	-- 1142 999 000	113, 114	
	F 412 2000 001	-- 414 2100 000	411-466	
M 567	Windshield glass, green tinted			
	F	-- 485 2590 000	481, 482	
M 568	Vent wing, door, quarter and rear window glass, tinted green (additionally with M 671)			
	F 114 2000 001	-- 115 2600 000	111-114	
	F 134 2000 001	-- 135 2600 000	1303: 133-136	
M 568	Green tinted glass allround (Laminated windshield glass)		171-174; 321-332; 531, 532; 861-866	
	F 116 2000 001	--	111-114	
	F 214 2000 001	--	221, 231, 224, 234	
	F 414 2000 001	-- 414 2100 000	411-466	
M 568	Side window glass, tinted green			
	F	-- 485 2590 000	481, 482	

			Model	
M 570	with passenger seat on the engine cover			
	F 286 2506 766	--	M 166: 281, 283, 285, 291, 293, 295	
M 571	Rear fog lamp		1302; 1303: 135, 136, 151, 152; 171-174; 181, 182; 211-274; 281-286, 291-296; 321-332; 411-466; 481, 482; 531, 532; 861-866	not for USA, Canada
	F 112 2427 793	-- 114 2999 000	113, 114	
	F 112 2427 793	-- 115 2600 000	M 610: 111, 112	
	F 116 2000 001	--	111, 112	
	F 142 2360 186	-- 144 2999 000	141-144	
	F 317 000 001	-- 313 2500 000	311-318, 361-368	
M 572	Double horn		321-332	not for USA, Canada
	F	-- 412 2100 000	411-466	
	F 175 3128 043	--	171-174	
	F 535 2014 140	--	531, 532	
M 573	Air conditioner		321, 323, 331	
	F 175 3198 796	--	171, 173	
	F 535 2923 363	--	531	
M 574	Wheel disc 5 J x 13 instead of 4 1/2 x 13		171-174	
M 584	Speedometer for steel radial tires 165/70 S 13		321-332	
M 589	Sports version with 1.6 l - 81 KW (110 bhp) engine (unit 067: 2)			
	F 176 3385 801	--	M 556: 171	not for USA, Canada
	F 537 2000 001	--	M 556: 531	not for USA, Canada
M 591	Shelf on engine cover		281-286, 291-296	
M 591	Shelf under instrument panel for passenger		171-174	
M 591	Shelf, left and right, under instrument panel			
	F 866 2300 001	--	861, 862	
	F 867 2300 001	--	863, 865, 866	
M 594	Reinforced disc brakes and modified dual circuit brake system			Sweden
	F 362 2000 001	-- 363 2500 000	361, 363, 365, 367	
M 595	with tachograph (Kienzle)		281, 283, 285, 291, 293, 295	
M 598	1.3 liter - 44 KW (60 bhp) engine		321-332	Export markets except USA
M 599	1.6 liter - 37 KW (50 bhp) engine disc brakes and equalizer spring			
	F 114 2000 001	--	111, 112	
M 599	1.8 liter - 63 KW (85 bhp) engine			
	F 414 2000 001	-- 414 2100 000	411-466	
M 599	1.6 liter - 66 KW (90 bhp) engine and revolution counter			
	F	-- 483 2546 845	481, 482	
M 599	1.5 liter - 63 KW (85 bhp) engine for M 249, M 555 (unit 055:2)			
	F	-- 535 2500 000	531, 532	

			Model	
M 599	1.6 liter - 63 KW (85 bhp) engine for M 249, M 555 (unit 055:6) F 536 2000 001 -- 536 2500 000 F 537 2000 001 --		531, 532 532	Great Britain
M 599	1.5 liter - 63 KW (85 bhp) engine steering damper and brake servo (M 506) F -- 325 2300 000		321-332	
M 599	1.6 liter - 63 KW (85 bhp) engine and steering damper F 326 2000 001 --		321-332	
M 600	1.5 liter - 51 KW (70 bhp) engine for M 249, M 555 (unit 055:3) F -- 175 3500 000 F -- 535 2500 000		171-174 531, 532	
M 600	1.6 liter - 55 KW (75 bhp) engine for M 249, M 555 (unit 055:7) F 176 3000 001 -- 177 3800 000 F 536 2000 001 -- 537 2500 000		171-174 531, 532	not for USA, Canada
M 600	1.5 liter - 51 KW (70 bhp) engine for M 249, M 555 (unit 067:5) F 178 3000 001 -- F 538 2000 001 --		171-174 531-532	not for USA, Canada
M 600	1.5 liter - 55 KW (75 bhp) engine and steering damper F -- 325 2300 000		321-332	
M 600	1.6 liter - 55 KW (75 bhp) engine and steering damper F 326 2000 001 --		321-332	
M 600	1.8 liter - 74 KW (100 bhp) engine and revolution counter F 483 2546 846 -- 485 2590 000		481, 482	
M 600	1.1 liter - 44 KW (60 bhp) engine (unit 052:3) F -- 867 2600 000		861-863	
M 600	1,3 liter - 44 KW (60 bhp) engine unit 052:5 F 867 2300 001 -- F 868 2300 001 --		865, 866 861-863	
M 601	Luxury version F 118 000 001 -- 118 1016 100		113, 114, 151, 152	
M 601	Luxury version F 148 000 001 -- 148 999 000 comprising: M 47: Back up light, M 102: Heatable rear window (only for 143, 144), emergency light system, dual circuit brake warning light, padded strip for instrument panel (only for LHD: 141, 143)		141-144	
M 601	Luxury version comprising: M 47, M 102, emergency light system, dual circuit brake warning light, and padded instrument panel (LHD only) F -- 218 220 000		211-268, 271	

			Model	
M 601	Luxury version F 318 000 001	-- 318 500 000	311-318, 361-368; M 234: 315-318	
	comprising: M 47: Back up light, M 102: Heatable rear window, emergency light system, dual circuit brake warning light			
M 601	Luxury version F 348 000 001	-- 348 500 000	343-346	
	comprising: M 47: Back up light, M 102: heatable rear window			
M 602	Luxury version F 118 000 001	-- 118 1015 100	111-114, 151, 152	
M 602	Luxury version F 148 000 001	-- 148 999 999	141-144	
	comprising: emergency light system, dual circuit brake warning light, padded strip for instrument panel (LHD only: 141, 143)			
M 602	Luxury version		1302: 113; 1303: 133	USA, Canada
M 602	Luxury version comprising: emergency light system, dual circuit brake warning light, and (padded instrument panel for LHD only) F	-- 218 220 000	211-268	
M 602	Luxury version F 318 000 001	-- 318 500 000	311-318, 361-368; M 234: 315-318	
	comprising: Emergency light system and dual circuit brake warning light			
M 602	Luxury version F 348 000 001	-- 348 500 000	343-346	
	comprising: emergency light system, dual circuit brake warning light			
M 602	Luxury version GL, GLS, GLD, GTI F 177 3000 001	--	171-174	
M 602	Luxury version GLE, GLS F 327 2000 001	--	321-332	
M 602	Luxury version GL, GLE, GLI F 537 2000 001	--	531, 532	
M 602	Luxury version GL, GLS F 867 2300 001	--	861-866	
M 603	Luxury version L, LS F	-- 176 3500 000	171-174	
	F	-- 325 2300 000	321-332	
	F	-- 536 2500 000	531, 532	

			Model	
M 603	Luxury version L, LS, GL			
	F	-- 866 1590 000	863	
	F	-- 866 2500 000	861, 862	
M 603	Luxury version L, LS, LD			
	(L-1-package)			
	F 177 3000 001	--	171-174	
M 603	Luxury version L, LS, GT, GTI			
	(L-1-package)			
	F 537 2000 001	--	531, 532	
M 603	Luxury version L, LS			
	(L-1-package)			
	F 867 2300 001	--	861-866	
M 603	Luxury version L, LS, LE			
	F 327 2000 001	--	321-332	
M 603	Luxury version			
	F 110 2000 001	-- 114 2999 000	113	
	F 111 2000 001	-- 114 2999 000	114	
	F 114 2000 001	--	111, 112	
	F 111 2000 001	-- 112 3200 000	1302: 113, 114	
	F 133 2000 001	-- 134 2999 000	1303: 135, 136	
	F 214 2000 001	--	221, 224	
	F	-- 482 2590 000	481, 482	
M 603	De luxe version			
	Additional Halogen twin fog lamps (H 1)			
	F 483 2500 001	-- 485 2590 000	481, 482	
M 605	Rear flap			
	F 325 2101 573	--	321-324	
M 606	2.0 l - 50 KW (68 bhp) twin carburetor engine			
	with secondary air injection (RHD)			
	M CJ 0 038 155	--	214-268	New South Wales, Australia
M 607	2 speed wiper motor, 12 V			
	F 111 2518 856	-- 113 3200 000	M 610: 111	Norway
M 607	2 speed wiper motor, 12 V			
	and backrest lock for rear seat			
	F 114 2000 001	-- 115 2600 000	M 610: 111	Norway
M 607	2 speed wiper motor, 12 V			
	and backrest lock for rear seat			
	F 116 2000 001	--	111	Norway
M 608	Three-point safety belt for front seat (Automatic)			Australia
	F 115 2143 744	-- 116 2200 000	112	
	F 135 2143 744	-- 135 2600 000	1303: 136	
M 608	Three-point safety belt for front seat (Automatic)			
	F 176 3153 149	-- 176 3500 000	172, 174	Australia
M 608	Three-point safety belt for front seat (Automatic)			
	and compliance with exhaust emission standards			
	F 177 3000 001	--	172, 174	Australia
M 608	to fulfil exhaust control and safety			
	regulations for Australia (RHD)			
	F 217 2000 001	--	214-274	Australia
M 608	Reinforced sun vizor			
	F	-- 326 2156 212	322, 324, 332	Australia
M 608	Doors with reinforcement, compliance			
	with exhaust emission standards (unit 062:3),			
	sun vizors (35 mm) and safety belts			
	F 326 2156 213	--	322, 324, 332	Australia