# Volkswagen Kombi: Panel Van, Window Van, Window Van Deluxe.







#### Kombi Versatility

The Volkswagen Kombi has long been a favourite of many Australians and has a high reputation as a quality carrier of goods and people.

German built, the Volkswagen Kombi has always been synonymous with safety, reliability, economy and ultimate versatility. The Volkswagen Kombi tradition continues in the Panel Van, the Window Van, and the Window Van Deluxe.

Whether you expect a strong, reliable workhorse or a comfortable family transporter, the Kombi will more than meet all your needs.

The Volkswagen Kombi range is designed to be tough, without forsaking driver/passenger comfort.

#### Kombi Panel Van

A practical vehicle for transporting. A tough, practical workhorse,



capable of just about every conceivable day-to-day transport task that can crop up in business.

Loading and unloading is made easy by the wide, standard sliding door on the left hand side, the large rear tailgate and the low load platform height.

You can also access the load space from the driver's cabin via a wide passage between the front seats, without needing to get out of the van.

The cargo space has a capacity of 5.7 cubic metres and a total area of 4.36 square metres, able to take up to 1060 kg in payload.

#### Kombi Window Van

The Kombi Van with 2 additional windows on each side. These make the Kombi Van more appropriate for use as a leisure vehicle as well as a goods carrier.

#### Kombi Window Van Deluxe

As the name denotes, this is a more comfortable version of the Kombi Window Van.

It is equipped with refinements more commonly expected on passenger cars.

Power steering, tweed cloth trim, rear windscreen wiper and central locking are fitted as standard.

#### **Driver and Passenger Comfort**

The cab of the Volkswagen Kombi successfully combines the luxury of a passenger car with the ruggedness of a commercial vehicle.

Long-travel independent coil suspension and a smooth, quiet fuel-injected motor ensure the vehicle's load-carrying capabilities do not compromise Volkswagen's superb ride characteristics.

The 50/50 distribution of weight between front and rear axles and standard Michelin tyres account for the poise and car-like precision of the handling.

Anatomically-shaped seats permit comfortable, relaxed driving, with plenty of leg and arm room.

All controls and indicators are rationally arranged so that they are within easy reach of the driver.

The steering requires minimum effort and a quiet, powerful ventilation system is standard.

All these features combine to inspire driver confidence in all conditions, whether city traffic or open highway.

Each Kombi in the range is fitted as standard with a five-speed manual transmission. A 3-speed automatic gearbox is available as an option.

#### **Extra Seating**

Whilst equipped standard as twoseaters, anchorage points are fitted to the Kombi Window Van and Kombi Window Van Deluxe to allow seating for up to eight people. Optional centre seats are fitted on a rack to ensure easy conversion from a loadcarrying workhorse to a family transporter.

#### Volkswagen – The Ultimate Leisure Vehicle

The Volkswagen Kombi is the ideal leisure vehicle. You can







Window Van Deluxe

tow a boat, trailer or horse float, and it has an enormous amount of room inside for sporting equipment or people.

Ask your dealer about the Volkswagen approved Camper Van conversion, or about seating up to eight people.

surprisingly good traction (for instance when towing a trailer), while its noise level remains very low.

The same water-cooled horizontally-opposed engine is equally suited for anyone who frequently has to average high speeds over long distances.

#### Our Success is Built on Technical Design and Safety

For many years, Volkswagen Vans have epitomised safety, reliability and economy.

Features in the safety system built into every Volkswagen range from the torsionally-rigid floor pan to the forked frame beneath the cab.

In the event of a collision, impact energy is largely absorbed by the bumper and dissipated via the deforming element which stretches across the whole width of the vehicle.

Cross members with vertical webs, longitudinal members, door profiles and a safety steering column with breakaway element and deforming members, all combine in providing maximum protection should the worst come to the worst

A further example of the technical

#### Syncro Four-Wheel Drive

Both the Kombi Window Van and Window Van Deluxe are available with Volkswagen's unique Syncro, the four-wheel drive system that thinks for itself and comes into play automatically when you need it most.

#### The Volkswagen Engine

The Volkswagen Kombi engine has been designed to cover a full range of operating conditions.

Fitted with digitally controlled fuel injection (Digifant) and immensely free revving, the Volkswagen 4-cylinder spark ignition anging of 21 litro anging of 21 litro anging of 21 litro angina of 21 litro

ignition engine of 2.1 litre capacity develops 70 kw of power and 160 Nm of torque. It turns in high performance but

remains scrupulously economical. Even at low engine speeds, it gives





superiority represented by the Kombi Van is the double-wishbone front axle layout with self-stabilising steering.

This design largely prevents the vehicle from running off line when braking or when the wheels on one side of the vehicle are on a loose surface.

Volkswagen Kombi Vans have a semi-trailing arm rear axle, a design which is also used on high-performance sports cars and passenger cars.

With its powerful minibloc springs and telescopic dampers, this vital running-gear element makes a vital contribution towards the vehicle's supreme road behaviour.

The Volkswagen commitment is clear: advanced design not for its own sake, but for safer, more enjoyable motoring.

# Quality in Detail: Corrosion Protection Treatment

For Volkswagen, the notion of quality standards means more than

just advanced technology geared towards achieving safe handling. It means providing optimum corrosion protection for maximum durability.

All bodyshell sections
which are particularly
exposed to corrosion,
especially add-on sections
which have to withstand
extremely severe conditions,
are manufactured of sheet
steel which is galvanised on one
or both sides.

Once assembled, the whole bodyshell is passed through a cathodic dip-primer coating to protect it from rusting under the paint-work.

Particularly exposed areas such as edges and corners automatically receive a much thicker protective coating.

The whole floor pan, wheel arches and front panel (in other words, all exposed areas) are given a particularly resilient intermediate coating to protect them against Customer Satisfaction: The Basis of After Sales Support
Authorised service for Volkswaren vehicles offers

Authorised service for Volkswagen vehicles offers the following advantages:

reliability, high resale value

and a lengthy operating life.

 Authorised dealer network all over Australia.

Specially equipped workshops with

experienced, well-trained specialist personnel.

 Comprehensive stocks of genuine Volkswagen new and exchange parts.

 Volkswagen approved accessories.

This is just a selection from a wide range of services aimed at keeping your vehicle operational at all times, reducing the periods when it is out of action to a minimum.

#### Volkswagen 12 Months/ Unlimited Distance Warranty

And as further proof of top performance, we offer a 12 month warranty without distance limit on all Volkswagen vehicles and a 12 month warranty on genuine Volkswagen new and exchange parts.

Historically, Volkswagens have proved they require little maintenance work and when necessary, are unusually easy to maintain.

Technical progress means that it has proved possible to reduce maintenance requirements considerably, and therefore, avoid unnecessary expense.

#### Long Service Intervals

All Volkswagen vehicles require a lubrication service every 6 months or 15,000 km. A major service is only necessary every 30,000 km or 12 months.

Examine what
Volkswagen has to offer;
get to know our vehicles
better through a thorough
test drive at your local dealer
or we'll come to you.
See the exciting new range

of German built Volkswagen Kombi Vans. They're back, and at Japanese prices.



A plastic sealant is applied to

all joint seams. As a final step, the

whole floor pan, including wheel

arches and suspension elements.

is protected against damp by a wax

The result: a level of quality

which provides a guarantee of

resist stone chips.

and PVC coating.



## **Technical Specifications**

Kombi Panel	Van.	Kombi	Window	Van.	Kombi

Kombi Panel Van, Kombi Window Van, Kombi						
Window Van Deluxe	Kombi Panel Van	Kombi Window Van	Kombi Window Van Deluxe			
Engine	Vali	Vali	Deluxe			
Туре	4-Cylinder, ho	rizontally-oppose	ed, water-cooled			
Location		Rear				
Capacity		2109cm cubed				
Maximum Power (DIN) Maximum Torque	1	70kw at 4800 rp 60 Nm at 2800 r				
Compression Ratio	3.1	9.0:1	piti			
Fuel Induction	Digita	l controlled fuel-	injection			
Transmission						
Driven Wheels		Rear				
Gearbox – standard Clutch		5-speed manua Single dry-plat				
Gear Ratios	İst	on gic ary plat	4.11	1		
	2nd		2.33			
	3rd		1.48			
	4th 5th		1.02 0.76			
	final drive		4.86			
Gearbox – optional		3-speed automa				
Gear Ratios	1st		2.71			
	2nd		1.50			
	3rd final drive		1.00 4.09			
	illiai ulive		4.03	,		
Suspension	la de la calacation	date de lette codete	b 11			
Front		vith double wish abilising steering				
Rear		vith semi-trailing				
Front Springs/Dampers		te coil springs a				
D C : /D	dampers "Minibloc" coil springs and telescopic dampers					
Rear Springs/Dampers	IVIINIDIOC COI	i springs and tele	escopic dampers			
Braking						
Туре		stem with front	discs and rear ressure regulator			
	didilis, blaces	ervo and brake p	ressure regulator			
Steering						
Туре		ce, rack and pini ndow Van Delux				
	Safety steering		æ.			
Turning Circle		pproximately 10	.7m			
Wheels and Tyres						
Wheels		5.5 x 14; Stee				
Tyres	1	85R 14 C steel ra	idial			
Body						
Construction	Unitary all-stee	el frame and floo	r pan assembly			
		al and transvers				
		ment for front b				
		eet steel used fo ge paintwork pr	,			
	pariois, six sta	ge paintwork pr	30033.			
Dimensions and weight		0.400				
Wheelbase Overall length		2460 mm 4570 mm				
Overall width		1845 mm				
Overall height		1960 mm				
Track (front/rear)		1585/1570 mn	n			
Cargo area:						
Volume		5.7m cubed				
Length (without seats)		2780 mm				
Width (without seats)		1590 mm				
Height (without seats)		1465 mm	J			
Area		4.36m squared				
Weights:		AVENUE SAMORIA A PARTICIPA				
Unladen (kg)		0 (manual)/1370				
Payload limit kg	106	0 (manual)/1020 2390	(auto)			
Gross weight limit kg Max. trailer weight kg (Loaded)	600	2390 unbraked/1500	oraked			
Fuel tank capacity	330	60 litres				
Seating capacity	2	2	2			
Warranty	12 ma	onths/unlimited	distance			

# Your Volkswagen Dealer:

## **Equipment**

Kombi	Panel	Van	Kombi	Window	Van	Kombi
IZUIIIDI	rancı	vall,	KUIIIDI	AAIIIGOAA	vall.	KOHIDI

Window Van Deluxe	Mbi Wind Kombi Panel Van	Kombi Window Van	Kombi Kombi Window Van Deluxe
Engine and transmission	m (87-5)		
2.1 Litre 4-cylinder, water-			
cooled engine with Digital	V	V	V
controlled fuel injection Electronic ignition	X	X	X
Heavy-duty air-cleaner	X	x	X
5-speed manual transmission	X	X	X
3-speed automatic transmission	optional	optional	optional
	•	•	• • • • • • • • • • • • • • • • • • • •
Exterior			
Halogen headlights	~		V
incorporating driving lights	X	X	X
Rear wiper Exterior door mirrors	_	Х	X
-left and right	X	X	X
Opening quarter vent	^	Λ.	^
-driver's side	X	×	X
Laminated windscreen	X	X	X
Hub-caps	X	X	X
Rear mud-flaps	X	×	X
Hazard warning flashers	X	X	X
Reversing lights	X	X	X
Metallic paint	( <del></del>	- <del>-</del>	optional
Interior			
Leatherette trim	X	X	-
Tweed cloth trim	_	_	X
Seat and seat belt anchorage			
points for eight people			
including driver	_	X	X
Soft-feel steering wheel	X	X	X
Power steering	5 <u>1</u> 55	_	X
Clock	X	X	X
Tripmeter	X	X	X
Hand-brake warning lamp	X	X	X
Temperature gauge with warning lamp	X	Χ	X
Brake circuit warning lamp	X	x	x
Battery charge warning lamp	×	X	X
Oil pressure warning lamp	X	X	X
Fuel gauge	X	X	X
Combined fresh-air			
ventilation and heating			
system with 3-speed blower	X	X	X
Illuminated switches and	.,		.,
heater/ventilation controls	X	X	X
Air conditioning	optional	optional	optional
Variable instrument lighting intensity	X	X	X
Two speed wipers with	^	/	
flick-wipe setting	X	X	X
Electric windscreen washer	X	X	X
Interior lighting	X	X	X
Glove box – lockable	×	X X X	X X X
Passenger grap-handle		X	X
Intertia-reel seat belts	X	X	X
Lining – cargo area	_	X	X
Rubber floor matting – cab	X	Χ	Х
Access			
Walk-through facility from			
cab to rear cargo area	X	X	X
Tailgate with automatic			
raising by gas-filled struts	X	X	X
Central door locking	_	-	X
Locking fuel cap	X	X	X
Ctrustural			
Structural			
Strength and safety system including anti-intrusion			
members and integrated			
roll-over bars in body	Χ	X	X
Galvanised sheet-steel			
used for exposed body panels	X	X	X
Cavity protection treatment	X	X	X
Wax undersealing	X	X	X
Six-stage paintwork process	X	X	X



Distributed in Australia by Ateco Industries Pty Ltd. 4 Harvey Road, Marayong NSW 2148 Telephone (02) 831 2600 Specifications subject to change without notice.