

Addendum-SP-Sets



SP - SETS

Part No.	Description	Quantity
SP 1 A	1 set of engine gaskets up to engine No. 1 – 695 281 comprising:	
111 101 127	Sealing washer – Studs	6
111 101 341	Gasket between crankcase and cylinder	4
111 101 465	Sealing washer – Cylinder head nut	8
111 101 481	Gasket – Valve rocker cover	2
111 105 279 A	Gasket – Flywheel	1
111 109 345	Sealing washer – Push rod guide tube	16
111 115 111	Gasket – Oil pump body	1
111 115 131	Gasket – Oil pump cover	1
111 115 189	Gasket – Oil strainer cover	2
111 117 151	Packing – Oil cooler	2
111 127 311	Gasket – Fuel pump	2
111 251 261 A	Gasket – Exhaust pipe flange	4
111 251 263 A	Gasket – Hot spot	2
N 13 776 1	Gasket 30 DIN 71 511 – Carburetor flange	1
N 13 820 1	Sealing washer C 16×20 DIN 7603 – Plug	1
N 13 829 1	Sealing washer C 22×29 DIN 7603 – Manifold	2
N 13 830 1	Sealing washer A 8×14 DIN 7603 – Studs	2
SP 1 B	1 set of engine gaskets from engine No. 1 – 695 282 comprising:	
111 101 127	Sealing washer – Studs	6
111 101 341 A	Gasket between crankcase and cylinder	4
111 101 481	Gasket – Valve rocker cover	2
111 105 279 A	Gasket – Flywheel	1
111 109 345	Sealing washer – Push rod guide tube	16
111 115 111	Gasket – Oil pump body	1
111 115 131	Gasket – Oil pump cover	1
111 115 189	Gasket – Oil strainer cover	2
111 117 151	Packing – Oil cooler	2
111 127 311	Gasket – Fuel pump	2
111 251 261 A	Gasket – Exhaust pipe flange	4
111 251 263 A	Gasket – Hot spot	2
N 13 776 1	Gasket 30 DIN 71 511 – Carburetor flange	1
N 13 820 1	Sealing washer C 16×20 DIN 7603 – Plug	1

SP - SETS

Part No.	Description	Quantity
N 13 821 1	Sealing washer C 26×32 DIN 7603 – Manifold	2
N 13 830 1	Sealing washer A 8×14 DIN 7603 – Studs	2
SP 2 A	1 set of cylinders 75 mm dia., with pistons, rings and piston pins up to engine No. 1 – 695 281	
	comprising:	
111 101 301	Cylinder 75 mm dia.	4
111 107 101	Piston 75 mm dia.	4
111 107 301	Ring – Piston (upper, 75 mm dia.)	4
111 107 311	Ring – Piston (lower, 75 mm dia.)	4
111 107 321	Scraper ring 75 mm dia.	4
111 107 411	Piston pin	4
N 12 275 1	Lockring 20 DIN 73 123 – Piston pin	8
SP 2 C	1 set of cylinders 77 mm dia., with pistons, rings and piston pins (flat pistons) from engine No. 1 – 695 282	
	comprising:	
111 101 311	Cylinder 77 mm dia.	4
111 107 111 C	Piston 77 mm dia.	4
111 107 351	Ring – Piston (upper, 77 mm dia.)	4
111 107 361	Ring – Piston (lower, 77 mm dia.)	4
111 107 371	Scraper ring 77 mm dia.	4
111 107 411	Piston pin	4
N 12 275 1	Lockring 20 DIN 73 123 – Piston pin	8
SP 15 G (SG)	1 set of door handle and ignition keys comprising a series, numbered from 1 to 240	
SP 23 C	1 set of moldings	
	comprising:	
113 853 505 C	Molding – Front lid	1
113 853 515 A	Molding – Door	2
113 853 525 A	Molding – Side panel, left	1
113 853 526 A	Molding – Side panel, right	1
113 853 535 A	Molding – Quarter panel, left	1
113 853 536 A	Molding – Quarter panel, right	1
113 853 555 A	Molding – Running board	2

SP - SETS

Part No.	Description	Quantity
113 853 565	Retaining clip with screw – Molding	16
113 853 585 A	Clamp – Molding	34
113 853 605 A	VW-sign – Front lid	1
113 853 611	Rubber seal – City arms	6
113 853 621	City arms	1
113 853 631 A	Base plate – City arms	1
113 857 219	Rubber cap – Molding clamp	32
N 11 004 2	Nut, hex., M 4 DIN 934 galvanized	16
N 12 004 1	Lock washer B 4 DIN 127	16
SP-27 A	1 set of pistons 75.5 mm dia., with rings and piston pins up to engine No. 1 – 695 281 comprising: <i>Superseded by single parts</i>	
111 107 105	Piston 75.5 mm dia.	4
111 107 305	Ring – Piston (upper 75.5 mm dia.)	4
111 107 315	Ring – Piston (lower 75.5 mm dia.)	4
111 107 325	Scrapper ring 75.5 mm dia.	4
111 107 411	Piston pin	4
N 12 275 1	Lockring 20 DIN 73 123 – Piston pin	8
SP-27 C	1 set of pistons 77.5 mm dia., with rings and piston pins (flat pistons) from engine No. 1 – 695 282 comprising: <i>Superseded by single parts</i>	
111 107 115 D	Piston 77.5 mm dia.	4
111 107 355	Ring – Piston (upper 77.5 mm dia.)	4
111 107 365	Ring – Piston (lower 77.5 mm dia.)	4
111 107 375	Scrapper ring 77.5 mm dia.	4
111 107 411	Piston pin	4
N 12 275 1	Lockring 20 DIN 73 123 – Piston pin	8
SP-28 A	1 set of pistons 76 mm dia., with rings and piston pins up to engine No. 1 – 695 281 comprising: <i>Superseded by single parts</i>	
111 107 109	Piston 76 mm dia.	4
111 107 309	Ring – Piston (upper 76 mm dia.)	4
111 107 319	Ring – Piston (lower 76 mm dia.)	4

		Quantity
SP 29	1 set of crankshaft bearings (steel-backed) comprising:	
111 105 501 C	Bearing shell No. 1 - Crankshaft	2
111 105 531 C	Bearing shell No. 2 - Crankshaft	2
111 105 561 C	Bearing shell No. 3 - Crankshaft	2
111 105 591 A	Bearing No. 4 - Crankshaft	1
SP 30	1 set of crankshaft bearings (steel-backed) 0.25 mm u.s. comprising:	4
111 105 507 C	Bearing shell No. 1 - Crankshaft (0.25 mm u.s.)	2
111 105 537 C	Bearing shell No. 2 - Crankshaft (0.25 mm u.s.)	2
111 105 567 C	Bearing shell No. 3 - Crankshaft (0.25 mm u.s.)	2
111 105 597	Bearing No. 4 - Crankshaft (0.25 mm u.s.)	1
	from engine No. 1 - 695 282 comprising:	
111 107 119 D	Piston 78 mm dia.	4
111 107 359	Ring - Piston (upper 78 mm dia.)	4
111 107 369	Ring - Piston (lower 78 mm dia.)	4
111 107 379	Scrapper ring 78 mm dia.	4
111 107 411	Piston pin	4
N 12 275 1	Lockring 20 DIN 73 123 - Piston pin	8
SP 29 B	1 set of crankshaft bearings comprising:	
111 105 501 A	Bearing No. 1 - Crankshaft	1
111 105 531 A	Bearing shell No. 2 - Crankshaft	2
111 105 561	Bearing No. 3 - Crankshaft	1
111 105 591	Bearing No. 4 - Crankshaft	1
SP 30 B	1 set of crankshaft bearings, 0.25 mm u.s. comprising:	
111 105 507 A	Bearing No. 1 - Crankshaft (0.25 mm u.s.)	1
111 105 537 A	Bearing shell No. 2 - Crankshaft (0.25 mm u.s.)	2
111 105 567	Bearing No. 3 - Crankshaft (0.25 mm u.s.)	1
111 105 597	Bearing No. 4 - Crankshaft (0.25 mm u.s.)	1
SP 31 B	1 set of crankshaft bearings, 0.50 mm u.s. comprising:	
111 105 513 A	Bearing No. 1 - Crankshaft (0.50 mm u.s.)	1
111 105 543 A	Bearing shell No. 2 - Crankshaft (0.50 mm u.s.)	2
111 105 573	Bearing No. 3 - Crankshaft (0.50 mm u.s.)	1
111 105 603	Bearing No. 4 - Crankshaft (0.50 mm u.s.)	1
SP 32 B	1 set of crankshaft bearings, 0.75 mm u.s. comprising:	
111 105 519 A	Bearing No. 1 - Crankshaft (0.75 mm u.s.)	1
111 105 549 A	Bearing shell No. 2 - Crankshaft (0.75 mm u.s.)	2

SP 36 A	1 set of torsion arm link pins with bushes, shims and dust excluder comprising:	
SI 111 405 395 A	Bush	4
111 405 517	Dust excluder	4
111 405 521	Pin	4
111 405 527	Shim	32
111 405 537	Retainer - Dust excluder	4
111 105 579	Bearing No. 3 - Crankshaft (0.75 mm u.s.)	1
111 105 609	Bearing No. 4 - Crankshaft (0.75 mm u.s.)	1
SP 33 B	1 set of crankshaft bearings, 1 mm u.s. comprising:	
111 105 525 A	Bearing No. 1 - Crankshaft (1 mm u.s.)	1
111 105 555 A	Bearing shell No. 2 - Crankshaft (1 mm u.s.)	2
111 105 585	Bearing No. 3 - Crankshaft (1 mm u.s.)	1
111 105 615	Bearing No. 4 - Crankshaft (1 mm u.s.)	1
SP 34	1 set of king pins with bushes and washers comprising:	
111 405 391	Bush - King pin	4
111 405 411	King pin	2
111 405 501	Thrust washer (pressed fiber) - King pin	2
111 405 511	Cover - King pin thrust washer	2
SP 36	1 set of torsion arm link pins with bushes and washers comprising:	
111 405 395 A	Bush - Torsion arm link pin	4
111 405 521	Pin - Torsion arm link	4
111 405 527	Shim - Torsion arm link pin	40
SP 50 B	Hydraulic brake - Optional fitting comprising:	
113 609 139	Back plate - Front brake, left	1
113 609 140	Back plate - Front brake, right	1
211 609 205	Adjusting nut - Brake shoe	8
113 609 209	Adjusting screw - Brake shoe	8
113 609 237 A	Brake shoe and lining	8
113 609 279	Retaining pin	8
113 609 283	Spring - Retaining pin	8
113 609 289	Spring seat - Retaining pin	8
113 609 301	Return spring, lower - Brake shoe	4
113 609 309	Return spring, upper - Brake shoe	8
113 609 439	Back plate - Rear brake, left	1
113 609 440	Back plate - Rear brake, right	1

SP - SETS

Part No.	Description	Quantity
211 609 601 A	Anchor pin – Brake lever	2
211 609 613	Brake lever – Brake shoe	1
211 609 614	Brake lever – Brake shoe	1
211 609 619	C-Washer – Brake lever anchor pin	2
113 609 625	Spring clip – Push bar	2
211 609 631	Push bar	1
211 609 632	Push bar	1
113 609 637	Bracket – Brake cable	1
113 609 638	Bracket – Brake cable	1
113 609 721 A	Cable – Rear brake	2
113 611 021	Brake master cylinder 19	1
113 611 053	Cylinder 17.5 – Rear wheel brake	2
113 611 055	Cylinder 19 – Front wheel brake	2
113 611 301 A	Reservoir	1
113 611 373	Plug – Reservoir	1
113 611 701	Hose – Front brake (length 481 mm)	2
113 611 715	Bracket – Brake hose	6
113 611 723	Line – Front brake (length 155 mm)	1
113 611 724	Line – Front brake (length 400 mm)	1
113 611 741	Brake line from master cylinder to T-piece	1
211 611 751	Grommet (rubber) – Brake line	3
113 611 755	T-piece – Brake lines	1
113 611 763	Brake lines between T-piece and brake hose, rear, left (length 180 mm) ..	1
113 611 764 A	Brake lines between T-piece and brake hose, rear, right (length 720 mm) ..	1
113 611 775	Hose – Rear brake (length 265 mm)	2
113 611 781	Line – Rear brake, left	1
113 611 782	Line – Rear brake, right	1
113 611 801	Connecting hose – Brake master cylinder	1
113 611 805 A	Line between reservoir and brake master cylinder	1
113 611 811	Washer – Plug	1
113 611 817	Plug – Brake master cylinder	1
113 611 829	Distance tube	2
211 611 841	Clip – Brake hose (rear axle)	2
113 611 843	Clip – Brake hose (frame, front)	2
113 701 377	Clip – Brake hose (frame, rear)	2

SP - SETS

Part No.	Description	Quantity
113 701 549	Clip – T-piece	1
113 711 355	Push bar	1
113 711 375	Spring – Push bar	1
113 711 377	Guide plate – Brake push bar	1
113 711 381	Junction head – Push bar	1
113 711 385 A	Lock plate – Junction head	1
113 711 387	Washer – Push bar	1
113 721 121	Shaft – Brake pedal	1
113 721 151	Pedal – Brake	1
113 721 163	Return spring – Brake pedal	1
111 721 199	Plate – Junction head	1
113 721 205 A	Push bar 7 mm dia.	1
111 721 219	Bolt – Push rod	1
N 10 212 2	Bolt, hex. head, M 6×12 DIN 933 galvanized	2
N 10 215 2	Bolt, hex. head, M 6×15 DIN 933 galvanized	16
N 10 238 1	Bolt, hex. head, M 8×15 DIN 933	2
N 10 325 1	Bolt, hex. head, BM 8×25 DIN 931	2
N 10 343 1	Bolt, hex. head, BM 6×25 DIN 931	1
N 10 350 1	Bolt, hex. head, BM 8×50 DIN 931	2
N 11 006 2	Nut, hex., M 6 DIN 934 galvanized	5
N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	6
N 11 393 1	Metal screw, cheese head, S 5.5×13 DIN 7971	1
N 11 406 1	Plate nut, BM 6	1
N 11 558 1	Washer 8.4 DIN 433	1
N 12 006 2	Lock washer B 6 DIN 127 galvanized	16
N 12 008 2	Lock washer B 8 DIN 127 galvanized	6
N 12 106 1	Spring washer J 6.4 DIN 6798 galvanized	1
N 12 226 2	Spring washer B 6 DIN 137 galvanized	3
N 12 512 1	Split pin 2×12 DIN 94	1
N 12 518 1	Split pin 2×18 DIN 94	1
B 2	Genuine brake fluid, 1 litre	1
SP 54 D	1 set of differential pinions (quote color: blue, pink or green) comprising:	
111 517 157 A	Gear – Differential	2
111 517 169	Pinion – Differential	2

SP - SETS

Part No.	Description	Quantity
SP 57 A	Telescopic shock absorbers for optional fitting up to chassis No. 1 – 397 022	
	comprising:	
111 513 031	Telescopic shock absorber	2
111 513 031 B	Telescopic shock absorber	2
211 501 181	Bolt, hex. head	4
111 513 479	Washer – Shock absorber mounting	4
111 513 497	Mounting plate – Shock absorber, left	1
111 513 498	Mounting plate – Shock absorber, right	1
111 701 913	Bracket – Shock absorber mounting left	1
111 701 914	Bracket – Shock absorber mounting right	1
N 10 120 1	Bolt, hex. head, M 12×1.5×20 DIN 961	4
N 10 155 1	Bolt, hex. head, M 12×1.5×55 S DIN 960	2
N 11 020 1	Nut, hex., M 12×1.5 DIN 934	4
N 11 212 1	Nut, slotted, M 12×1.5 DIN 937	4
N 12 012 1	Spring washer B 12 DIN 127	8
N 12 532 1	Split pin 3×25 DIN 94	4
SP 62	1 door check rod assy., left for optional fitting up to chassis No. 1 – 397 022	
	comprising:	
111 837 249	Check rod – Door, left	1
111 837 259 A	Damping washer – Door check rod	1
111 837 261 A	Rubber bumper – Door	1
111 837 269	Retaining plate – Damping washer	1
N 10 212 2	Bolt, hex. head, M 6×12 DIN 933 galvanized	2
N 11 062 2	Cap nut M 6 DIN 917	1
N 11 374 1	Metal screw, cheese head, S 3.9×13 DIN 7971	2
N 11 695 2	Washer 6.1 galvanized	1
N 12 226 2	Spring washer B 6 DIN 137 galvanized	2
SP 63	1 door check rod assy., right for optional fitting up to chassis No. 1 – 397 022	
	comprising:	
111 837 250	Check rod – Door, right	1
111 837 259 A	Damping washer – Door check rod	1
111 837 261 A	Rubber bumper – Door	1
111 837 269	Retaining plate – Damping washer	1

SP-SETS

Part No.	Description	Quantity
N 10 212 2	Bolt, hex. head, M 6×12 DIN 933 galvanized	2
N 11 062 2	Cap nut M 6 DIN 917	1
N 11 374 1	Metal screw, cheese head, S 3.9×13 DIN 7971	2
N 11 695 2	Washer 6.1 galvanized	1
N 12 226 2	Spring washer B 6 DIN 137 galvanized	2
SP 67	Steering damper for optional fitting comprising:	
111 415 373	Steering drop arm for sector shaft 22 mm dia.	1
111 415 901	Steering damper	1
111 415 911	Mounting bracket – Steering damper	1
N 10 140 1	Bolt, hex. head, M 12×1.5×40 DIN 960	1
N 10 155 1	Bolt, hex. head, M 12×1.5×55 S DIN 960	1
N 11 020 1	Nut, hex., M 12×1.5 DIN 934	2
N 12 232 1	Spring washer B 12 DIN 137	4
SP 67 A	Steering damper for optional fitting <i>NOT AVAILABLE</i> comprising: <i>SAYA SUPERSEDED. BY Single Parts</i>	
111 415 373 A	Steering drop arm for sector shaft 28 mm dia.	1
111 415 901	Steering damper	1
111 415 911	Mounting bracket – Steering damper	1
N 10 140 1	Bolt, hex. head, M 12×1.5×40 DIN 960	1
N 10 155 1	Bolt, hex. head, M 12×1.5×55 S DIN 960	1
N 11 020 1	Nut, hex., M 12×1.5 DIN 934	2
N 12 232 1	Spring washer B 12 DIN 137	4
SP 68 A	Steering damper for optional fitting (RHD) <i>NOT AVAILABLE</i> comprising:	
112 415 373 A	Steering drop arm for sector shaft 28 mm dia. (RHD)	1
111 415 901	Steering damper	1
112 415 911	Mounting bracket – Steering damper (RHD)	1
111 513 479	Washer	1
N 10 140 1	Bolt, hex. head, M 12×1.5×40 DIN 960	1
N 10 155 1	Bolt, hex. head, M 12×1.5×55 S DIN 960	1
N 11 020 1	Nut, hex., M 12×1.5 DIN 934	2
N 12 232 1	Spring washer B 12 DIN 137	4

SP-SETS

*SP 77 B BLINKERS FOR OPTIONAL FITTING
FROM CHASSIS NO. 2528668.*

Part No.	Description	Quantity
SP 77 A	Blinkers for optional fitting comprising:	
113 415 657	Self-cancelling ring on steering wheel	1
111 953 041 A	Blinker lamp, front	2
141 953 185 B	Relay - Blinker	1
111 953 193	Packing - Blinker lamp, front	2
111 953 513	Blinker - Self-cancelling switch	1
111 953 547	Cable sleeve - Blinker cable	1
111 953 549 A	Cover plate - Blinker cables (on steering column tube)	1
N 10 704 2	Screw, cheese head, AM 5×10 DIN 84 high-polish galvanized	1
N 10 901 1	Screw, countersunk head, AM 3×8 DIN 63	2
N 11 005 2	Nut, hex., M 5 DIN 934 galvanized	5
N 12 005 1	Lock washer B 5 DIN 127 galvanized	5
SP 80	1 set oilbath air cleaner with additional Cyclone filter for optional fitting	
	comprising:	
111 129 405 H	Main jet 115	1
111 129 435 B	Air correction jet 180	1
111 129 605 A	Cyclone filter	1
111 129 611 C	Oil bath air cleaner for additional Cyclone filter	1
111 129 619	Sleeve - Cyclone filter	1
111 129 623	Pipe - Oil bath air cleaner to Cyclone filter	1
111 129 627	Hose - Oil bath air cleaner to carburetor	1
261 129 631 A	Elbow	1
261 129 641	Clip - Elbow to carburetor	1
261 129 643	Gasket	1
111 129 645	Bracket - Oil bath air cleaner	1
N 10 215 2	Bolt, hex. head, M 6×15 DIN 933 galvanized	4
N 10 239 1	Bolt, hex. head, M 8×18 DIN 933	4
N 10 719 1	Screw, cheese head, AM 6×20 DIN 84 galvanized	3
N 11 006 2	Nut, hex., M 6 DIN 934 galvanized	7
N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	4
N 11 670 1	Washer 8.1	2
N 11 695 2	Washer 6.1 galvanized	2

SP - SETS

Part No.	Description	Quantity
N 12 006 2	Lock washer B 6 DIN 127 galvanized	4
N 12 008 2	Lock washer B 8 DIN 127 galvanized	4
N 12 226 2	Spring washer B 6 DIN 137 galvanized	3
N 14 059 1	Fastener – Hose connection strip	2
	2 additional clips (450 mm length), which are not included in this set, should be used.	
SP 83	1 set of insulating material for heating system for optional fitting comprising:	
111 255 973	Lagging – Heater junction box, left	1
111 255 974	Lagging – Heater junction box, right	1
111 255 979	Insulation sheet – Wheel housing	2
111 255 981	Insulation sheet – Side member, left	1
111 255 982	Insulation sheet – Side member, right	1
111 255 983	Insulation sheet – Flexible pipe, front	2
111 255 987	Fixing tongue – Side member insulation	8
111 255 989	Fixing tongue – Side member insulation, front, left	1
111 255 990	Fixing tongue – Side member insulation, front, right	1
N 11 368 1	Metal screw S 3.5×13 DIN 7971	10
D 6	Can of "Bostik 675", adhesive	200 g
D 7	Can of underseal	250 g
SP 91	Bumper guard for optional fitting comprising:	
113 707 155 B	Override	4
113 707 177	Guard, front	1
111 707 199	Seal – Override support	4
113 707 233	Support front left – Override	1
113 707 234	Support front right – Override	1
113 707 385	Guard, rear left	1
113 707 386	Guard, rear right	1
113 707 391	Support, rear left	1
113 707 392	Support, rear right	1
111 805 599	Spare wheel carrier	1
N 10 244 1	Bolt, hex. head, M 8×30 DIN 933 galvanized	8
N 10 252 1	Bolt, hex. head, M 10×20 DIN 933 galvanized	6

SP - SETS

Part No.	Description	Quantity
N 10 350 2	Bolt, hex. head, BM 8×50 DIN 931 galvanized	4
N 11 654 2	Washer 9.5 galvanized	2
N 12 008 2	Lock washer B 8 DIN 127 galvanized	6
N 12 010 2	Lock washer B 10 DIN 127 galvanized	6
SP 92 A	Bumper, front, with guard	
	comprising:	
113 707 111 B	Bumper, front, chromium plated	1
111 707 121	Reinforcement – Bumper	4
111 707 135 A	Bracket, left	1
111 707 136 A	Bracket, right	1
113 707 155 B	Override	2
113 707 177	Guard	1
113 707 191 A	Screw – Bumper	2
111 707 197	Rubber – Bumper bracket, front	2
111 707 199	Seal	2
113 707 233	Support, left	1
113 707 234	Support, right	1
N 10 244 1	Bolt, hex. head, M 8×30 DIN 933 galvanized	4
N 10 252 1	Bolt, hex. head, M 10×20 DIN 933 galvanized	2
N 10 350 2	Bolt, hex. head, BM 8×50 DIN 931 galvanized	4
N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	2
N 11 696 1	Washer 8.1 galvanized	4
N 12 008 2	Lock washer B 8 DIN 127 galvanized	10
N 12 010 2	Lock washer B 10 DIN 127 galvanized	2
SP 93 A	Bumper, rear, with guard	
	comprising:	
111 707 121	Reinforcement – Bumper	4
113 707 155 B	Override	2
113 707 191 A	Screw – Bumper	4
111 707 199	Seal	2
113 707 311 B	Bumper, rear, chromium plated	1
111 707 335 B	Bracket, left	1
111 707 336 B	Bracket, right	1
111 707 347	Rubber – Bumper bracket, rear	2
113 707 385	Guard, left	1

SP - SETS

Part No.	Description	Quantity
113 707 386	Guard, right	1
113 707 391	Support, left	1
113 707 392	Support, right	1
N 10 244 1	Bolt, hex. head, M 8×30 DIN 933 galvanized	6
N 10 252 1	Bolt, hex. head, M 10×20 DIN 933 galvanized	4
N 10 350 2	Bolt, hex. head, BM 8×50 DIN 931 galvanized	2
N 11 654 2	Washer 9.5 galvanized	2
N 11 696 1	Washer 8.1 galvanized	8
N 12 008 2	Lock washer B 8 DIN 127 galvanized	12
N 12 010 2	Lock washer B 10 DIN 127 galvanized	4
SP 96 A	Rear view mirror for optional fitting on types 111, 113, 115, 117 comprising:	
113 857 513	Rear view mirror	1
113 857 517	Cap nut	1
111 857 537	Washer	1
SP 97 A	Rear view mirror for optional fitting on type 151 comprising:	
151 857 513	Rear view mirror	1
113 857 517	Cap nut	1
111 857 537	Washer	1
SP 99	Rear view mirror for optional fitting (RHD) on types 112, 114, 116, 118, 152 comprising:	
111 831 423	Hinge pin	1
114 857 513	Rear view mirror	1
113 857 517	Cap nut	1
111 857 537	Washer	1
SP-100	Grip - Front seat passenger for optional fitting comprising:	
151 857 641 A	Grip - Front seat passenger	1
151 857 641 B	Grip - Front seat passenger from chassis No. 1 600 440	1 151, 152
151 857 647 B	Base left - Grip 151 857 641 B	1 151, 152
151 857 648 B	Base right - Grip 151 857 641 B	1 151, 152
151 857 655 A	Packing - Grip 151 857 641 B	2 151, 152

SP - SETS

Part No.	Description	Quantity
SP 101 A	1 set of piston rings 75 mm dia., (narrow-face contact) comprising:	
111 107 301	Ring – Piston (upper, 75 mm dia.)	4
111 107 311 A	Ring – Piston (lower, 75 mm dia.)	4
111 107 321	Scraper ring, 75 mm dia.	4
SP 103 A	1 set of piston rings 77 mm dia. (narrow-face contact) comprising:	
111 107 351	Ring – Piston (upper, 77 mm dia.)	4
111 107 361 A	Ring – Piston (lower, 77 mm dia., narrow-face contact)	4
111 107 371	Scraper ring, 77 mm dia.	4
SP 105 A	1 set of piston rings 75.5 mm dia. (narrow-face contact) comprising:	
111 107 305	Ring – Piston (upper, 75.5 mm dia.)	4
111 107 315 A	Ring – Piston (lower, 75,5 mm dia., narrow-face contact)	4
111 107 325	Scraper ring, 75.5 mm dia.	4
SP 107 A	1 set of piston rings 77.5 mm dia. (narrow-face contact) comprising:	
111 107 355	Ring – Piston (upper, 77.5 mm dia.)	4
111 107 365 A	Ring – Piston (lower, 77,5 mm dia., narrow-face contact)	4
111 107 375	Scraper ring, 77.5 mm dia.	4
SP 109 A	1 set of piston rings 76 mm dia. (narrow-face contact) comprising:	
111 107 309	Ring – Piston (upper, 76 mm dia.)	4
111 107 319 A	Ring – Piston (lower, 76 mm dia., narrow-face contact)	4
111 107 329	Scraper ring, 76 mm dia.	4
SP 111 A	1 set of piston rings 78 mm dia. (narrow-face contact) comprising:	
111 107 359	Ring – Piston (upper, 78 mm dia.)	4
111 107 369 A	Ring – Piston (lower, 78 mm dia., narrow-face contact)	4
111 107 379	Scraper ring, 78 mm dia.	4
SP 123	Repair kit for fuel pump parts comprising:	
111 127 141	Diaphragm and pull rod	1
111 127 151	Spring – Fuel pump valve	2

SP - SETS

Part No.	Description	Quantity
111 127 157 A	Gasket – Fuel pump valve and spring seat	1
111 127 169	Valve – Fuel pump (hex.)	2
111 127 311	Gasket – Fuel pump	2
SP 127 A	1 set of lining – Clutch plate comprising:	
111 141 191 A	Lining – Clutch	2
N 13 671 1	Rivet B 5×5 DIN 7338	15
SP 134	1 set of brake linings (Jurid) comprising:	
SP 131	delete: 30	8
SP 131 A	338, galvanized	70
SP 131 B		
SP 131 C	(oversize) (Jurid)	
SP 134 A		
SP 134 B		
SP 134 C	superseded by: single parts 30 (oversize 0.5 mm)	8
N 13 634 1	Rivet C 4×7.5 DIN 7338 – Brake shoe lining, galvanized	100
SP 131 B	1 set of brake linings (Jurid) comprising:	
111 605 265	Lining – Brake shoe 30	4
113 609 265 A	Lining – Brake shoe 40	4
N 13 634 1	Rivet C 4×7.5 DIN 7338 – Brake shoe lining, galvanized	80
SP 131 C	1 set of brake linings (oversize) (Jurid) comprising:	
111 605 269	Lining – Brake shoe 30 (oversize 0.5 mm)	4
113 609 269 A	Lining – Brake shoe 40 (oversize 0.5 mm)	4
N 13 634 1	Rivet C 4×7.5 DIN 7338 – Brake shoe lining, galvanized	80
SP 134	1 set of brake linings (Energit) comprising:	
111 605 265 A	Lining – Brake shoe 30	8
N 13 634 1	Rivet C 4×7.5 DIN 7338 – Brake shoe lining, galvanized	70
SP 134 A	1 set of brake linings (oversize) (Energit) comprising:	
111 605 269 A	Lining – Brake shoe 30 (oversize 0.5 mm)	8
N 13 634 1	Rivet C 4×7.5 DIN 7338, galvanized	70

SP - SETS

Part No.	Description	Quantity
SP 134 SP 134 B	1 set of brake linings (Energit)	
	comprising:	
111 605 265 A	Lining – Brake shoe 30	4
113 609 265 B	Lining – Brake shoe 40	4
N 13 634 1	Rivet C 4×7.5 DIN 7338, galvanized	80
SP 134 C SP 134 C	1 set of brake linings (Energit)	
	comprising:	
111 605 269 A	Lining – Brake shoe 30 (oversize 0.5 mm)	4
113 609 269 B	Lining – Brake shoe 40 (oversize 0.5 mm)	4
N 13 634 1	Rivet C 4×7.5 DIN 7338, galvanized	80
SP 141	Repair kit for 1 wheel brake cylinder 19	
	comprising:	
211 611 483	Rubber cap	1
113 611 615	Pressure spring – Center piece halves	1
113 611 625	Cup	2
113 611 695	Boot	2
SP 143	Repair kit for 1 wheel brake cylinder 16	
	comprising:	
211 611 483	Rubber cap	1
113 611 615	Pressure spring – Center piece halves	1
113 611 621	Cup	2
113 611 695	Boot	2
SP 145	Repair kit for 1 wheel brake cylinder 17.5	
	comprising:	
211 611 483	Rubber cap	1
113 611 615	Pressure spring – Center piece halves	1
113 611 623	Cup	2
113 611 695	Boot	2
SP 148	Repair kit for 1 wheel brake cylinder 22	
	comprising:	
211 611 483	Rubber cap	1
113 611 615	Pressure spring – Center piece halves	1
211 611 627	Cup	2
113 611 695 C	Boot	2

*Supplied by
Kangte parts*


SP - SETS

Part No.	Description	Quantity
SP 171	Repair kit for brake master cylinder 19 comprising:	
113 611 121	Valve seat ring	1
113 611 127	Check valve	1
113 611 155	Main cup	1
113 611 167	Washer – Brake master cylinder	1
113 611 173	Secondary cup	1
113 611 179	Stop washer	1
113 611 185	Lock ring	1
113 611 195	Boot	1
SP 181	1 set of contact breakers for distributor up to engine No. 1 – 695 281 comprising:	
211 905 229 A	Point – Contact breaker	1
211 905 233 A	Arm – Contact breaker	1
SP 183	1 set of contact breakers for distributor from engine No. 1 – 695 282 comprising:	
111 905 229 A	Point – Contact breaker	1
111 905 233 A	Arm – Contact breaker	1
SP 191 <i>SP 189</i>	20 lock cylinders for door handle (single parts) up to chassis No. 1 – 929 745 comprising:	
	Lock cylinder, bare	20
	Striker plate 1	100
	Striker plate 3	70
	Striker plate 5	70
	Spring – Striker plate	150
SP 191 A	20 lock cylinders for door handle (single parts) from chassis No. 1 – 929 746 comprising:	
	Lock cylinder, bare	20
	Striker plate 1	100

SP 184 CONTACT SET. LIST NO 161 905 205


SP - SETS

Part No.	Description	Quantity
	Striker plate 3	70
	Striker plate 5	70
	Spring - Striker plate	150
SP 192	20 lock cylinders for rear lid handle (single parts) comprising:	
	Lock cylinder, bare	20
	Striker plate 1	100
	Striker plate 3	70
	Striker plate 5	70
	Spring - Striker plate	150
SP 203	1 set securing parts for silencer 111 251 051 C comprising:	
111 251 221	Seal 32 mm dia. - Exhaust pipe	2
111 251 223	Seal 32 mm dia. - Exhaust pipe	2
111 251 231	Seal 35 mm dia. - Tail pipe	2
111 251 233	Seal 35 mm dia. - Tail pipe	2
111 251 261 A	Gasket - Exhaust pipe flange	2
111 251 263 A	Gasket - Hot spot	2
111 251 269 A	Clip	8
N 10 215 4	Bolt, hex. head, M 6 x 15 DIN 933 galvanized	4
N 10 339 2	Bolt, hex. head, BM 6 x 40 DIN 931	8
N 11 006 2	Nut, hex., M 6 DIN 934 galvanized	8
N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	4
SP 201 B	Lock combined (steering, ignition, starter) stone beige for optional fitting comprising:	
111 415 521 B	Lockring shell	2
113 415 527	Insulating sleeve	1
111 415 543	Lock plate	1
111 905 851 B	Lock combined (steering, ignition, starter)	1
111 905 879	Insulating washer	1
111 905 881	Bolt	2
111 971 135 B	Cable	1
<i>SP 201</i>	<i>Superseded by SP 201 B</i>	



You can tell all your customers

that the Volkswagen factory keeps more than 2000 physicists, chemists, engineers, and inspectors constantly and carefully testing each individual part of a Volkswagen. It makes no difference whether the part is for a new car or for the VW Parts Service, nor whether we manufacture it or get it from a subcontractor.



Each part is Factory Engineered and Inspected