

Addendum - Standard Parts



STANDARD - PARTS

Part No.	Description	Page
<i>N 10 0017 2</i>	<i>Order N 10 241-1</i>	
N 10 043 1	Bolt, hex. head, M 8×15 DIN 70 614	6-11
N 10 120 1	Bolt, hex. head, M 12×1.5×20 DIN 961	7-6; SP-9
N 10 127 1	Bolt, hex. head, M 12×1.5×30 DIN 960	5-4
N 10 140 1	Bolt, hex. head, M 12×1.5×40 DIN 960	4-13; 5-6; SP-10
N 10 155 1	Bolt, hex. head, M 12×1.5×55 S DIN 960	4-13; 5-6; SP-9, 10
N 10 171 1	Bolt, hex. head, M 8×1×32 DIN 960	4-13
N 10 190 1	Bolt, hex. head, M 12×1.5×90 DIN 960	4-3
N 10 205 1	Bolt, hex. head, M 5×10 DIN 933	1-37
N 10 209 1	Bolt, hex. head, M 5×25 DIN 933	8-61
N 10 210 1	Bolt, hex. head, M 6×10 DIN 933 galvanized	1-26; 4-11; 8-12, 25; 9-7
N 10 211 1	Bolt, hex. head, M 6×12 SZ DIN 933	2-7
N 10 212 2	Bolt, hex. head, M 6×12 DIN 933 galvanized	7-12; 8-23, 25, 33, 36, 37, 38, 8-41, 45, 46, 86; SP-8, 9, 10
<i>N 10 215 2</i> <i>N 10 215 H</i>	<i>IM</i> Bolt, hex. head, M 6×15 DIN 933 galvanized	1-44; 4-11; 8-17, 21, 22; 9-13; SP-8, 11
<i>N 10 216 1</i>	Bolt, hex. head, M 6×18 DIN 933 <i>N 10 216 2</i>	8-46, 75; 9-36
N 10 228 1	Bolt, hex. head, M 7×16 DIN 933	3-15
N 10 237 1	Bolt, hex. head, M 8×12 DIN 933	6-9
N 10 238 1	Bolt, hex. head, M 8×15 DIN 933	1-25, 26; 3-6; 7-25; 8-23; SP-8
N 10 239 1	Bolt, hex. head, M 8×18 DIN 933	2-7; 7-18, 25; 8-21, 22; SP-11
N 10 240 1	Bolt, hex. head, M 8×20 DIN 933	1-47; 7-11; 8-70
N 10 240 2	Bolt, hex. head, M 8×20 DIN 933 galvanized	2-3
N 10 241 1	Bolt, hex. head, M 8×22 DIN 933 galvanized	7-7, 9; 8-22
N 10 244 1	Bolt, hex. head, M 8×30 DIN 933 galvanized	7-7, 9; SP-12, 13, 14
N 10 246 1	Bolt, hex. head, M 8×45 DIN 933 galvanized	7-7
N 10 249 1	Bolt, hex. head, M 10×15 DIN 933	7-20, 27
N 10 250 1	Bolt, hex. head, M 10×15 SK DIN 933	6-7
N 10 252 1	Bolt, hex. head, M 10×20 DIN 933 galvanized	7-7, 9; SP-12, 13, 14
N 10 253 1	Bolt, hex. head, M 10×22 DIN 933	3-7
N 10 254 1	Bolt, hex. head, M 10×25 DIN 933	8-26
N 10 255 1	Bolt, hex. head, M 10×22 SK DIN 933	6-7
N 10 262 1	Bolt, hex. head, M 4×20 DIN 933 galvanized	9-9
N 10 322 1	Bolt, hex. head, BM 7×170 DIN 931	3-4
N 10 325 1	Bolt, hex. head, BM 8×25 DIN 931	3-7; 4-9; 6-14; 7-7, 9; 9-3, 27; SP-8
N 10 331 1	Bolt, hex. head, M 8×31 S DIN 931	4-10
N 10 335 1	Bolt, hex. head, M 8×35 DIN 931	1-48; 5-6; 7-17, 19, 24, 25
<i>N 10 339 2</i>	<i>HEX HD BOLT BM 6X40 DIN 931</i>	

STANDARD - PARTS

Part No.	Description	Page
N 10 340 1	Bolt, hex. head, M 8×40 DIN 931	4-11
N 10 342 1	Bolt, hex. head, M 6×20 DIN 931	1-26
N 10 343 1	Bolt, hex. head, BM 6×25 DIN 931	6-14; SP-8
N 10 344 1	Bolt, hex. head, M 6×28 DIN 931	9-8
N 10 346 2	Bolt, hex. head, BM 6×30 DIN 931	1-6
N 10 349 1	Bolt, hex. head, BM 6×45 DIN 931	7-5
N 10 350 1	Bolt, hex. head, BM 8×50 DIN 931	6-14; SP-8
N 10 350 2	Bolt, hex. head, BM 8×50 DIN 931 galvanized	7-7, 9; SP-13, 14
N 10 351 1	Bolt, hex. head, BM 8×52 DIN 931	3-5
N 10 360 2	Bolt, hex. head, BM 8×60 DIN 931 galvanized	1-6
N 10 375 1	Bolt, hex. head, BM 8×75 DIN 931	3-5
N 10 380 1	Bolt, hex. head, BM 8×80 DIN 931	3-5
N 10 390 1	Bolt, hex. head, BM 8×95 DIN 931	3-5
N 10 430 1	Bolt, hex. head, BM 10×30 K DIN 931	5-5; 7-17, 23
N 10 440 1	Bolt, hex. head, M 10×40 DIN 931	4-4; 8-26
N 10 450 1	Bolt, hex. head, M 10×50 DIN 931	4-9; 8-26
N 10 470 1	Bolt, hex. head, M 10×70 DIN 931	1-6
N 10 500 1	Bolt, hex. head, M 10×110 DIN 931	1-6
N 10 700 1	Screw, cheese head, AM 5×12 DIN 84	9-19, 39
	high-polish galvanized	
N 10 701 1	Screw, cheese head, AM 4×5 DIN 84 galvanized	8-16; 9-9
N 10 702 1	Screw, cheese head, AM 5×15 DIN 84	9-18
N 10 703 2	Screw, cheese head, AM 4×8 DIN 84 galvanized	8-89; 9-9
N 10 704 2	Screw, cheese head, AM 5×10 DIN 84	8-32, 85, 88; 9-13; SP-11
	high-polish galvanized	
N 10 710 1	Screw, cheese head, AM 6×10 DIN 84 galvanized	1-25, 27, 28
N 10 714 1	Screw, cheese head, AM 6×12 DIN 84	1-21
N 10 715 2	Screw, cheese head, AM 6×15 DIN 84 galvanized	8-37, 39, 40; 9-26
N 10 719 1	Screw, cheese head, AM 6×20 DIN 84 galvanized	SP-11
N 10 810 1	Screw, fillister head, AM 5×6 DIN 85	9-10, 22, 36
N 10 814 1	Screw, fillister head, AM 4×12 DIN 85	8-41
N 10 815 1	Screw, fillister head, AM 5×15 DIN 85	1-32
	high-polish galvanized	
N 10 820 1	Screw, fillister head, BM 5×20 DIN 85	8-88
N 10 866 1	Screw, countersunk raised head, M 4×10×2.5 DIN 924 ..	9-31
	chromium plated	
N 10 901 1	Screw, countersunk head, AM 3×8 DIN 63	4-12; SP-11

N-10265-1 Bolt Hex Head M10×45 DIN 931 chrome plated

STANDARD - PARTS

Part No.	Description	Page
N 10 903 1	Screw, countersunk head, AM 3.5×8 DIN 63	1-31
N 10 925 1	Screw, countersunk head, BM 5×25 DIN 63	9-22
N 10 970 1	Screw, countersunk head, AM 4×8 DIN 63	8-89; 9-27
N 10 971 1	Screw, countersunk head, AM 4×15 DIN 63	8-87
N 10 980 1	Screw, countersunk head, AM 5×10 DIN 63	7-8; 8-90
	high-polish galvanized	
N 10 986 1	Screw, countersunk head, AM 6×15 DIN 63	8-37
N 10 999 1	Screw, countersunk head, AM 10×13.5 DIN 63	9-4, 13
N 11 004 2	Nut, hex., M 4 DIN 934 galvanized	5-3; 8-41, 58; 9-9; SP-4
N 11 005 2	Nut, hex., M 5 DIN 934 galvanized	2-8; 7-8; 9-18, 22, 26, 31, 34; SP-11
N 11 006 2	Nut, hex., M 6 DIN 934 galvanized	1-4, 5, 6, 8, 22, 26; 6-9; 7-19, 7-20, 26; 8-21, 23, 52, 89; 9-4, 8, 14; SP-8, 11
N 11 007 1	Nut, hex., M 7 DIN 934	3-5; 9-13
N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	1-4, 5, 6, 8, 25, 36, 40, 48; 2-7; 3-4, 5, 6; 4-11; 5-6; 6-14; 7-7, 9; 8-22, 46; 9-3; SP-8, 11, 13, 14
N 11 010 2	Nut, hex., M 10 DIN 934 galvanized	1-3, 5, 6; 3-4, 6; 4-4, 7, 9
N 11 018 2	Nut, hex., M 8×1 DIN 934 galvanized	4-13
N 11 020 1	Nut, hex., M 12×1.5 DIN 934	4-13; 5-4, 6; SP-9, 10
N 11 051 1	Nut square M 5 DIN 557	8-90
N 11 062 2	Cap nut M 6 DIN 917	8-36; SP-9, 10
N 11 106 1	Nut, hex., AM 6 DIN 439	2-8
N 11 152 1	Nut, hex., M 8×1 DIN 936	1-17
N 11 157 1	Nut, hex., M 10×1 DIN 936 galvanized	8-25
N 11 162 1	Nut, hex., M 12×1.5 DIN 936	4-9
N 11 173 1	Wing nut M 5 DIN 315	9-22
N 11 210 1	Nut, slotted, M 10×1 DIN 937	4-13
N 11 211 1	Nut, slotted, M 10 DIN 937	4-7
N 11 212 1	Nut, slotted, M 12×1.5 DIN 937	5-6; SP-9
N 11 225 1	Screw, buffon head, AM 3×4 DIN 86	6-7
N 11 230 1	Screw, buffon head, BM 3×12 DIN 86	9-32
N 11 251 1	Screw, buffon head, AM 4×18 DIN 86	5-3
N 11 305 1	Nut, slotted, M 8 DIN 935	4-10
N 11 340 1	Metal screw, countersunk head, S 4.8×32 DIN 7972	9-22
N 11 368 1	Metal screw, cheese head, S 3.5×13 DIN 7971	SP-12

STANDARD - PARTS

Part No.	Description	Page
N 11 374 1	Metal screw, cheese head, S 3.9×13 DIN 7971	7-5; 8-36; SP-9, 10
N 11 388 2	Metal screw, cheese head, Z 4.8×9.5 DIN 7971	8-12
N 11 389 1	Metal screw, cheese head, S 4.8×13 DIN 7971	9-10, 18, 19
N 11 393 1	Metal screw, cheese head, S 5.5×13 DIN 7971	6-12; SP-8
N 11 406 1	Plate nut BM 6	SP-8
N 11 408 1	Plate nut BM 8	
N 11 456 1	Metal screw, countersunk raised head, S 2.9×16 DIN 7973 chromium plated	8-82
N 11 460 1	Metal screw, countersunk raised head, S 3.5×13 DIN 7973 high-polish galvanized	8-40, 64
N 11 466 3	Metal screw, countersunk head, S 3.9×13 DIN 7973 chromium plated	8-97
N 11 472 1	Metal screw, countersunk head, S 4.2×13 DIN 7973	8-88
N 11 523 1	Washer A 5.3 DIN 125	8-61; 9-10, 22, 36, 39
N 11 524 1	Washer A 6.4 DIN 125	8-36, 46, 86
N 11 526 2	Washer B 8.4 DIN 125 high-polish galvanized	7-25, 26; 8-37, 39; 9-27
N 11 528 1	Washer B 10.5 DIN 125	1-8
N 11 555 1	Washer 4.3 DIN 433	1-35; 8-16, 38; 9-9
N 11 557 1	Washer 6.4 DIN 433	7-27
N 11 558 1	Washer 8.4 DIN 433	7-18; SP-8
N 11 579 1	Cone washer 42 <i>N 11 7011 A44</i>	8-89
N 11 605 1	Expansion plug 38 DIN 470	5-5
N 11 651 1	Washer 5.8 galvanized	2-8; 7-19, 26; 9-18
N 11 652 1	Washer 7 galvanized	1-5, 25, 26, 27, 28; 4-11; 8-23, 25, 45, 46, 86
N 11 654 2	Washer 9.5 galvanized	1-4, 25; 3-4; 7-9, 11; 8-22; SP-13, 14
N 11 655 2	Washer 11.5 galvanized	1-3; 3-6, 7; 5-5; 8-26, 27
N 11 664 1	Washer 4.1	5-3; 8-37
N 11 670 1	Washer 8.1	1-26; 7-7, 9; 8-21, 22, 23, 27; SP-9
N 11 695 2	Washer 6.1 galvanized	4-12; 7-5; 8-21, 22, 33, 36, 38; 9-36; SP-9, 10, 11
N 11 696 1	Washer 8.1 galvanized <i>only N 11 821 149A</i>	7-7, 9; SP-13, 14
N 11 698 1	Washer 12.2 galvanized	8-97
N 11 822 2	Screw, countersunk raised head, AM 4×8 DIN 88	8-97
N 11 826 1	Screw, countersunk raised head, AM 4×18 DIN 88	8-65
N 11 951 1	Screw, countersunk raised head, AM 4×7 K DIN 91	8-89

STANDARD - PARTS

Part No.	Description	Page
N 11 974 1	Screw, countersunk raised head, AM 6×15 DIN 91 high-polish galvanized	8-37, 39
N 12 003 1	Lock washer B 3 DIN 127	6-7
N 12 004 1	Lock washer B 4 DIN 127	8-58; 9-9; SP-4
N 12 005 1	Lock washer B 5 DIN 127 galvanized	8-35; 9-22, 26, 31; SP-11
N 12 006 2	Lock washer B 6 DIN 127 galvanized	4-12; 8-23, 25, 37, 39; 9-4, 13, 14; SP-8, 12
N 12 008 2	Lock washer B 8 DIN 127 galvanized	2-3; 4-13; 6-9, 11, 14; 7-7, 9, 7-25; 8-21, 22, 23; 9-27; SP-8, 12, 13, 14
N 12 010 2	Lock washer B 10 DIN 127 galvanized	4-4; 7-7, 9; 8-26; SP-13, 14
N 12 012 1	Lock washer B 12 DIN 127	5-4, 6; 7-6; SP-9
N 12 052 1	Clamping plate 3	8-56
N 12 061 1	Speed nut Bg 3.9	8-37, 38
N 12 068 1	Speed nut A 4 galvanized	8-64
N 12 081 1	Speed nut B 6	8-62
N 12 105 1	Spring washer A 6.4 DIN 6798	2-7; 8-87
N 12 106 1	Spring washer J 6.4 DIN 6798 galvanized	6-12; SP-8
N 12 108 2	Spring washer A 8.4 DIN 6798 galvanized	SP-14
N 12 110 1	Spring washer A 10.5 DIN 6798 galvanized	8-25
N 12 111 1	Spring washer J 10.5 DIN 6798	4-7
N 12 112 1	Spring washer J 12.5 DIN 6798	4-7
N 12 121 2	Shake-proof washer A 4.3 DIN 6797 galvanized	8-41
N 12 122 1	Shake-proof washer V 3.7 DIN 6797	1-31
N 12 126 1	Shake-proof washer J 5.3 DIN 6797	9-34
N 12 127 1	Shake-proof washer A 6.4 DIN 6797	8-52
N 12 128 2	Shake-proof washer V 6.4 DIN 6797 galvanized	8-37, 39
N 12 135 1	Shake-proof washer J 21 DIN 6797	9-31
N 12 224 1	Spring washer B 4 DIN 137	8-38, 44, 89
N 12 225 1	Spring washer B 5 DIN 137 galvanized	1-32, 40; 7-8; 8-12, 32, 33, 8-61, 85, 88; 9-18
N 12 226 2	Spring washer B 6 DIN 137 galvanized	1-4, 5, 6, 8, 21, 22, 26, 36; 2-8; 6-14; 7-12, 20; 8-11, 12, 8-17, 21, 33, 36, 37, 38, 41, 8-45, 46, 75, 86, 89; 9-26; SP-8, 9, 10, 12
N 12 011 1	<i>Lock washer A 10 DIN 127</i>	
N 12 228 2	Spring washer B 8 DIN 137 galvanized	1-5, 6, 25, 26, 36, 40, 47, 48; 3-4, 5, 6, 15; 4-9, 10; 5-6; 7-11, 18, 25; 8-27, 70
N 12 230 2	Spring washer B 10 DIN 137 galvanized	1-4, 6; 3-4, 6; 5-4; 7-17, 20, 7-23, 27; 8-96; 9-34

STANDARD - PARTS

Part No.	Description	Page
N 12 232 1	Spring washer B 12 DIN 137	4-13; 5-6; SP-10
N 12 234 1	Spring washer B 7 DIN 137	3-5, 15; 9-13
N 12 240 1	Spring washer B 20 DIN 137	3-6
N 12 275 1	Lockring 20 DIN 73 123	1-15; SP-3, 4, 5
N 12 408 1	Lockring 8×0.8 DIN 471	7-26
N 12 411 1	Lockring 11×1 DIN 471	7-24
N 12 415 1	Lockring 15×1 DIN 471	7-12
N 12 418 1	Lockring 18×1.2 DIN 471	7-23
N 12 420 1	Lockring 20×1.2 DIN 471	3-9
N 12 424 1	Lockring 24×1.2 DIN 471	7-23
N 12 434 1	Lock washer 4 DIN 6799	2-8
N 12 435 1	Lock washer 5 DIN 6799	8-33
N 12 437 1	Lock washer 7 DIN 6799	1-26
N 12 450 1	Lock washer 15 DIN 6799	3-10
N 12 455 1	Circlip 5 DIN 9045 galvanized	8-35
N 12 460 1	Circlip 14 DIN 9045	7-12
N 12 502 1	Split pin 1.5×10 DIN 94	1-43; 8-86; 9-20
N 12 503 1	Split pin 1×10 DIN 94	1-36, 40
N 12 507 1	Split pin 1.5×15 DIN 94	2-8
N 12 512 1	Split pin 2×12 DIN 94	7-18, 19, 26; 9-39; SP-8
N 12 518 1	Split pin 2×18 DIN 94	4-10; 7-13, 18, 24; SP-8
N 12 522 1	Split pin 2×22 DIN 94	4-7, 13
N 12 530 1	Split pin 3×15 DIN 94	6-4
N 12 532 1	Split pin 3×25 DIN 94	5-6; SP-9
N 12 536 1	Split pin 4×30 DIN 94	2-5; 3-10
N 12 540 1	Split pin 3×40 DIN 94	6-3
N 12 545 1	Split pin 5×45 DIN 94	5-4
N 12 705 1	Woodruff key 3×5 DIN 6888	9-3
N 12 707 1	Woodruff key 5×7.5 DIN 6888	3-9, 13
N 12 709 1	Woodruff key 6×9 DIN 6888 <i>113.105 249</i>	1-11 <i>Woodruff Key</i>
N 12 787 1	Dowel pin, self-locking 2×12 DIN 1472	8-45 <i>Broader shaft pin</i>
N 12 790 1	Dowel pin, self-locking 3×12 DIN 1472	3-7
N 12 801 1	Dowel pin, self-locking 10×40 DIN 1472	5-3
N 12 810 1	Dowel pin, grooved 3×10 DIN 1473	8-34, 42, 52, 85
N 12 825 1	Dowel pin, grooved 4×25 DIN 1473	4-4

STANDARD - PARTS

Part No.	Description	Page
N 12 826 1	Grooved pin, self-locking 6×25 DIN 1475	7-19, 25
N 12 829 1	Grooved pin, self-locking 3×16 DIN 1475 1481	7-14
N 13 030 1	Shank screw M 3.5×18 DIN 427	2-4
N 13 072 1	Stud M 2.6×5 DIN 551	8-34; 9-27
N 13 075 1	Stud M 4×5 DIN 551	9-27
N 13 105 1	Stud M 5×5 DIN 551	7-20, 27
N 13 206 1	Dowel pin 3×6 DIN 7	4-4
N 13 207 1	Dowel pin 3×8 DIN 7	1-7
N 13 216 1	Dowel pin 4×14 DIN 7	7-14
N 13 240 1	Bolt 8×18 DIN 1434	7-26
N 13 241 1	Bolt 6×22×17.5 DIN 1434	8-86
N 13 325 1	Pin 3×14 DIN 1481	8-65
N 13 328 1	Pin 3×20 DIN 1481	8-94
N 13 407 1	Rivet, button head, 4.5×7	6-3
N 13 506 1	Tubular rivet, lower part AN 4×8×6 DIN 7331	8-88
N 13 516 1	Tubular rivet, upper part 4×8	8-89
N 13 560 3	Rivet, countersunk head, 3×8 DIN 661, chromium plated	8-45
N 13 616 1	Rivet, countersunk head, 6×16 DIN 664	8-31
N 13 634 1	Rivet C 4×7.5 DIN 7338 galvanized	6-4, 8; SP-16, 17
N 13 661 1	Rivet B 4×8 DIN 7338 chromium plated	8-44, 88
N 13 667 2	Rivet B 5×6 DIN 7338 galvanized	8-88
N 13 670 1	Rivet B 5×10 DIN 7338 galvanized	8-35, 87
N 13 671 1	Rivet B 5×5 DIN 7338	1-48; SP-16
N 13 680 1	Rivet B 4×15 DIN 7338 galvanized	8-87
N 13 736 1	Rivet 3×6 DIN 662 galvanized	8-45
N 13 766 1	Clinch pin B 5×31 DIN 7341 galvanized	8-34
N 13 776 1	Gasket 30 DIN 71 511	1-36, 40; SP-2
N 13 815 1	Gasket C 14×18 DIN 7603	1-21
N 13 818 1	Gasket A 12×16 DIN 7603	1-32, 36
N 13 820 1	Gasket C 16×20 DIN 7603	1-21; SP-2
N 13 821 1	Gasket C 26×32 DIN 7603	1-44; SP-3
N 13 827 1	Gasket A 22×27 DIN 7603	6-12
N 13 829 1	Gasket C 22×29 DIN 7603	1-44; SP-2
N 13 830 1	Gasket A 8×14 DIN 7603	1-4; SP-2, 3
N 13 856 1	Plug, slotted, M 16×1.5 DIN 71 022	1-3
N 13 333 1	<i>Superseded by 113 309 223 A</i>	

STANDARD - PARTS

Part No.	Description	Page
N 13 885 1	Metal screw, hex. head, S 4.8×25 DIN 7976 galvanized . .	8-61
N 13 889 1	Metal screw, hex. head, Z 6.3×11	2-7
N 13 910 3	Metal screw, button head, S 3.5×6.5 DIN 7974 galvanized	8-12
N 13 962 1	Metal screw, fillister head, S 3.9×16 DIN 7981	8-37, 38
N 13 968 1	Metal screw, fillister head, S 4.8×13 DIN 7981 chromium plated	8-63
N 13 987 1	Metal screw, countersunk head, S 3.5×13 DIN 7982	8-39
N 14 059 1	Fastener – Hose connection strip	2-8; 5-3; SP-12
N 14 079 9	Strip – Hose connection	2-8; 5-3
N 14 093 1	Metal screw, countersunk raised head, S 4.2×13 DIN 7983 high-polish galvanized <i>N 14 094 2</i>	8-64
N 14 094 1 <i>N 14 094 2</i>	Metal screw, countersunk raised head, S 4.2×16 DIN 7983 galvanized	8-47
N 14 112 1	Screw, fillister head, AM 3.5×6 DIN 7985 galvanized	8-63
N 14 122 1	Screw, fillister head, AM 4×8 DIN 7985	8-38, 44
N 14 127 1	Screw, fillister head, AM 5×6 DIN 7985	8-61
N 14 233 1	Screw, countersunk head, AM 6×25 DIN 7987, galvanized	8-36
N 14 264 1	Screw, countersunk raised head, AM 5×10 DIN 7988	8-85, 86
N 14 265 1	Screw, countersunk raised head, AM 5×12 DIN 7988 galvanized	8-32, 34, 86
N 14 269 1 <i>N 14 270 1</i>	Screw, countersunk raised head, AM 5×14 DIN 7988 galvanized	8-32, 34
N 14 288 1	Screw, countersunk raised head, AM 8×15 DIN 7988 galvanized	8-31
N 14 383 1	Press stud – lower part	8-79
N 14 385 1	Press stud – upper part	8-79
N 14 386 1	Clip	8-74, 76
N 14 389 3	Clip	8-73, 74
N 14 401 1	Stud AM 6 A×31	1-8
N 14 402 1	Stud CM 8 A/M 6×31	1-8
N 14 403 1	Stud AM 6 A×49	1-4
N 14 404 1	Stud CM 8 A/M 6×49	1-4
N 14 405 1	Stud AM 8 A×46	1-8; 3-4
N 14 406 1	Stud CM 10 A/M 8×46	1-8; 3-4
N 14 407 1	Stud AM 8 A×62	1-5
N 14 408 1	Stud CM 10 A/M 8×62	1-5
N 14 409 1	Stud AM 8 A×71 <i>N 14 409 2</i>	1-4
N 14 410 1	Stud CM 10 A/M 8×71	1-4
N 14 411 1	Stud AM 10 A×82	1-4
N 14 412 1	Stud CM 12×1.5 A/M 10×82	1-4
N 14 413 1	Stud AM 10 A×137	1-3

N 18 103 3	Cable 0.5 mm ² cross section	9-44
N 18 119 9	Cable 0.75 mm ² cross section	9-44
N 18 127 7	Cable 1.0 mm ² cross section	9-44
N 18 131 1	Cable 1.5 mm ² cross section	9-44
N 18 148 8	Cable 2.5 mm ² cross section	9-44
N 18 382 1	Ignition cable	9-9

Page

N 14 414 1	Stud CM 12×1.5 A/M 10×137	1-3
N 14 415 1	Stud AM 10 A×166	1-4
N 14 416 1	Stud CM 12×1.5 A/M 10×166	1-4
N 14 419 1	Stud AM 8 A×112	3-4
N 14 420 1	Stud AM 10 B×32	7-3
N 14 422 1	Stud AM 10 A×196	1-4
N 14 423 1	Stud CM 12×1.5 A/M 10×196	1-4
N 14 424 1	Stud AM 10 A×218	1-4
N 14 425 1	Stud CM 12×1.5 A/M 10×218	1-4
N 14 434 1	Stud AM 6 A×28	1-5
N 14 451 1	Stud BM 6 A×23	1-4, 5
N 14 452 1	Stud CM 8 A/M 6×23	1-4, 5
N 14 454 2	Stud CM 8 A/M 6×28	1-5
N 14 455 1	Stud BM 8 A×31	1-5, 25; 3-4
N 14 456 1	Stud CM 10 A/M 8×31	1-5; 3-4
N 14 457 1	Stud BM 8 A×35	1-8
N 14 458 1	Stud CM 10 A/M 8×35	1-8
N 14 459 1	Stud BM 10 A×45	3-4
N 14 460 1	Stud CM 12×1.5 A/M 10×45	3-4
N 14 461 1	Stud BM 10 B×58	4-9
N 14 902 1	Gasket B 28×40 DIN 6504	4-10
N 15 421 1	Nut Bg 4.8 snapping	8-61
N 17 121 1	Fuse 8 DIN 72 581	9-19
N 17 471 0	Connector	9-18
N 17 501 1	Cable 0.5 mm ² cross section <i>N 18 103 3</i>	9-44
N 17 510 1	Cable 0.75 mm ² cross section <i>N 18 119 9</i>	9-44
N 17 520 1	Cable 1.0 mm ² cross section <i>N 18 127 7</i>	9-44
N 17 530 1	Cable 1.5 mm ² cross section <i>N 18 131 1</i>	9-44
N 17 535 1	Cable 2.5 mm ² cross section <i>N 18 148 8</i>	9-44
N 17 571 1	Ignition cable <i>N 18 382 1</i>	9-9
N 17 601 1	Socket – Bulb	9-17, 39
N 17 701 1	Bulb B 6 V 35/35 W DIN 72 601 – Headlamp	9-21
N 17 716 1	Bulb F 6 V 15 W DIN 72 601	9-23, 25
N 17 718 1	Bulb G 6 V 5 W DIN 72 601	9-23, 25, 26
<i>N 17 705 2</i>	<i>Super-socket by N 17 705 1</i>	


STANDARD - PARTS

Part No.	Description	Page
<i>N 18387-1</i>	<i>Resistor type ignition cable</i>	
N 17 720 1	Bulb H 6 V 2 W DIN 72 601 – Parking light	9-21
N 17 721 1	Indicator bulb I 6 V 0.6 W DIN 72 601	9-17
N 17 722 1	Indicator bulb I 6 V 1.2 W DIN 72 601	9-39
N 17 723 1	Bulb K 6 V 10 W DIN 72 601	9-23, 26
N 17 726 1	Bulb M 6 V 3 W DIN 72 601	9-31
N 17 730 1	Bulb R 6 V 20 W DIN 72 601	9-31
N 17 736 1	Bulb S 6 V 20/5 W DIN 72 601	9-26
N 17 801 1	Sparking plug 175 (Bosch)	9-9
N 17 801 3	Sparking plug 225 (Bosch)	9-9
N 17 802 1	Sparking plug 175 (Beru)	9-9
<u>N 17 802 3</u>	Sparking plug 225 (Beru) .. <i>N 17802-1</i>	9-9
N 18 501 1	Grease nipple A 6 DIN 71 412	4-13
N 18 502 1	Grease nipple C 6	4-13
N 18 503 1	Grease nipple A 8 DIN 71 412	4-13
N 18 504 1	Grease nipple C 8 DIN 71 412	4-13
N 18 512 1	Grease nipple C 6×1	7-23
N 18 515 1	Grease nipple	7-17
N 18 530 1	Grease nipple	4-3, 4; 7-17, 23
N 20 002 1	Plug (rubber)	1-26; 8-17, 21
N 20 004 1	Ferrule 16.5	8-31
N 20 005 1	Ferrule 16.5×4	9-44
N 20 007 1	Ferrule 21.5	8-58
N 20 061 1	Grommet	9-44
N 20 091 1	Grommet	1-32; 9-32
N 20 102 1	Screw – type valve DIN 7779 – Tubeless tires	6-3
N 27 341 1	Circlip SP 30 A	3-9
N 27 347 1	Circlip SP 52 A DIN 5417	3-13
N 30 002 1	Pliers – Combination	0-2
N 30 053 1	Wrench 8×9	0-2
N 30 054 1	Wrench 8×12	0-3
N 30 056 1	Wrench 10×14	0-3
N 30 059 1	Wrench 17×19	0-3



One thing to remember:

Next to new cars, Genuine VW Spare Parts are most profitable.



Each part is Factory Engineered and Inspected