

**Type II
Spare Parts**



Main Group 7



**Frame
Bumpers
Hand Lever System
Foot Lever System**


July 1956

MAIN GROUP

7

Illustration

03	Frame	21
07	Bumpers	21
15	Hand lever system	22
19	Foot lever system	23



Key-No.	Part-No.	Description	Qty.	Type and model
		FRAME		
-	211 703 021	Side member, front, left (LHD) up to chassis No. 20 - 117 901	1	211-273
-	214 703 021	Side member, front, left (RHD) up to chassis No. 20 - 117 901	1	214-274
1	211 703 021 A	Side member, front, left from chassis No. 20 - 117 902 onward	1	
-	211 703 022	Side member, front, right (LHD) up to chassis No. 20 - 117 901	1	211-273
-	214 703 022	Side member, front, right (RHD) up to chassis No. 20 - 117 901	1	214-274
2	211 703 022 A	Side member, front, right from chassis No. 20 - 117 902 onward	1	
-	211 703 029	Cross member, front (LHD) up to chassis No. 20 - 041 711	1	211-273
-	214 703 029	Cross member, front (RHD) up to chassis No. 20 - 041 711	1	214-274
-	211 703 029 A	Cross member, front (LHD) from chassis No. 20 - 041 712 up to 20 - 117 901	1	211-273
-	214 703 029 A	Cross member, front (RHD) from chassis No. 20 - 041 712 up to 20 - 117 901	1	214-274
3	211 703 029 B	Cross member, front (LHD) from chassis No. 20 - 117 902 onward	1	211-273
-	214 703 029 B	Cross member, front (RHD) from chassis No. 20 - 117 902 onward	1	214-274
-	211 703 039	Steering support (LHD) up to chassis No. 20 - 041 711	1	211-273
-	214 703 039	Steering support (RHD) up to chassis No. 20 - 041 711	1	214-274
-	211 703 039 A	Steering support (LHD) from chassis No. 20 - 041 712 up to 20 - 117 901	1	211-273
-	214 703 039 A	Steering support (RHD) from chassis No. 20 - 041 712 up to 20 - 117 901	1	214-274
4	211 703 039 B	Steering support (LHD) from chassis No. 20 - 117 902 onward	1	211-273
-	214 703 039 B	Steering support (RHD) from chassis No. 20 - 117 902 onward	1	214-274
-	211 703 045	Reinforcement between side members, front (LHD) up to chassis No. 20 - 117 901	1	211-241, 271, 273
-	214 703 045	Reinforcement between side members, front (RHD) up to chassis No. 20 - 117 901	1	214-244, 274
-	261 703 045	Reinforcement between side members, front up to chassis No. 20 - 117 901	1	261, 263

Key-No.	Part-No.	Description	Qty.	Type and model
-	264 703 045	Reinforcement between side members, front (RHD) up to chassis No. 20 – 117 901	1	264
5	211 703 045 A	Reinforcement between side members, front (LHD) from chassis No. 20 – 117 902 onward	1	211–241, 271, 273
-	214 703 045 A	Reinforcement between side members, front (RHD) from chassis No. 20 – 117 902 onward	1	214–244, 274
-	261 703 045 A	Reinforcement between side members, front from chassis No. 20 – 117 902 onward	1	261, 263
-	264 703 045 A	Reinforcement between side members, front (RHD) from chassis No. 20 – 117 902 onward	1	264
-	261 703 051	Engine suspension with side member up to chassis No. 20 – 117 901	1	
6	211 703 051 A	Engine suspension with side member from chassis No. 20 – 117 902 onward	1	
7	211 703 055	Engine suspension	1	
-	211 703 071	Front end support up to chassis No. 20 – 10 517 ...	1	211, 221, 231
-	214 703 071	Front end support (RHD)	1	214–274
8	211 703 071 A	Front end support (LHD) from chassis No. 20 – 10 518 onward	1	211–273
9	211 703 073	Cover plate – Front end support 211 703 071 A/214 703 071	1	
10	211 703 111 A	Side member, rear, left	1	
11	211 703 112 A	Side member, rear, right	1	
12	211 703 117	Connection plate – Side member	2	
13	211 703 125	Gusset, front, left and right	2	
14	211 703 131	Gusset, center left	1	
15	211 703 132	Gusset, center right	1	
16	211 703 135	Gusset, rear left	1	
17	211 703 136	Gusset, rear right	1	
18	211 703 171 A	Bracket – Shock absorber mounting from chassis No. 20 – 117 902 onward	2	
-	211 703 219	Bearing support – Hand brake lever up to chassis No. 20 – 041 711	1	

Key-No.	Part-No.	Description	Qty.	Type and model
19	211 703 221	Bearing support – Hand brake lever from chassis No. 20 – 041 712 onward	1	
20	211 703 291	Rubber stop – Clutch pedal lever from chassis No. 20 – 117 902 onward	1	
–	211 703 305	Reinforcement – Side member, front, left (LHD) ... up to chassis No. 20 – 117 901	1	211–241, 271, 273
–	214 703 305	Reinforcement – Side member, front, left (RHD) ... up to chassis No. 20 – 117 901	1	214–244, 274
–	261 703 305	Reinforcement – Side member, front left up to chassis No. 20 – 117 901	1	261, 263
–	264 703 305	Reinforcement – Side member, front, left (RHD) ... up to chassis No. 20 – 117 901	1	264
21	211 703 305 A	Reinforcement – Side member, front left from chassis No. 20 – 117 902 onward	1	211–244, 271–274
–	261 703 305 A	Reinforcement – Side member, front left from chassis No. 20 – 117 902 onward	1	261–264
–	211 703 306	Reinforcement – Side member, front, right (LHD) up to chassis No. 20 – 117 901	1	211–241, 271, 273
–	214 703 306	Reinforcement – Side member, front, right (RHD) up to chassis No. 20 – 117 901	1	214–244, 274
–	261 703 306	Reinforcement – Side member, front right up to chassis No. 20 – 117 901	1	261, 263
–	264 703 306	Reinforcement – Side member, front, right (RHD) up to chassis No. 20 – 117 901	1	264
22	211 703 312 A	Reinforcement – Side member, front right from chassis No. 20 – 117 902 onward	1	211–244, 271–274
–	261 703 312 A	Reinforcement – Side member, front right from chassis No. 20 – 117 902 onward	1	261–264
–	211 703 351	Cross plate – Side member reinforcement (LHD) .. up to chassis No. 20 – 117 901	1	211–273
–	214 703 351	Reinforcement with sheet nut (RHD) up to chassis No. 20 – 117 901	1	214–274
23	211 703 351 A	Cross plate – Side member reinforcement (LHD) .. from chassis No. 20 – 117 902 onward	1	211–273
–	214 703 351 A	Strengthening piece – Side member reinforcement (RHD) from chassis No. 20 – 117 902 onward	1	214–274
24	211 703 391 A	Intermediate brace – Side member reinforcement	1	
25	261 703 471	Intermediate brace – Side member, rear from chassis No. 20 – 117 902 onward	1	
–	211 703 501	Guide tube – Brake cable, left up to chassis No. 20 – 117 901	1	
–	211 703 501 A	Guide tube – Brake cable, left from chassis No. 20 – 117 902 onward	1	

Key-No.	Part-No.	Description	Qty.	Type and model
-	211 703 502	Guide tube – Brake cable, right up to chassis No. 20 – 117 901	1	
-	211 703 502 A	Guide tube – Brake cable, right from chassis No. 20 – 117 902 onward	1	
-	211 703 509	Guide tube – Accelerator cable (LHD) up to chassis No. 20 – 117 901	1	211-273
-	211 703 509 A	Guide tube – Accelerator cable (LHD)	1	211-273
-	214 703 509 A	Guide tube – Accelerator cable (RHD)	1	214-274
-	215 703 513 A	Guide tube – Choke control cable	1	215, 216, 225, 228, 235, 237, 238, 241, 244
-	211 703 517	Guide tube – Clutch cable (LHD) up to chassis No. 20 – 117 901	1	211-273
-	211 703 517 A	Guide tube – Clutch cable (LHD) from chassis No. 20 – 117 902 onward	1	211-273
-	214 703 517 A	Guide tube – Clutch cable (RHD)	1	214-274
-	211 703 523 A	Guide tube – Heating control cable (left)	1	
-	211 703 524 B	Guide tube – Heating control cable (right)	1	
26	211 703 553	Longitudinal support, front (LHD) from chassis No. 20 – 117 902 onward	1	213-273
-	214 703 554	Longitudinal support, front (RHD)	1	214-274
-	211 703 555	Longitudinal support, front up to chassis No. 20 – 117 901	1	
-	211 703 563	Cover plate – Front end support 211 703 071	1	
-	211 703 599	Seat box (LHD) up to chassis No. 20 – 117 901	1	211-241
-	214 703 599	Seat box (RHD) up to chassis No. 20 – 117 901	1	214-244
-	261 703 599	Seat box (LHD) up to chassis No. 20 – 117 901	1	261-273
-	264 703 599	Seat box (RHD) up to chassis No. 20 – 117 901	1	264, 274
-	111 701 241	Notch sleeve – Heating control cable	1	
-	111 701 241 A	Guide sleeve – Heating control cable from chassis No. 20 – 041 712 onward	1	

Key-No.	Part-No.	Description	Qty.	Type and model
27	211 703 601 A	Seat box from chassis No. 20 – 117 902 onward . . .	1	
28	211 703 609	Cover plate under pedal linkage (LHD) from chassis No. 20 – 117 902 onward	1	211–273
–	214 703 609	Cover plate under pedal linkage (RHD) from chassis No. 20 – 117 902 onward	1	214–274
–	N 11 670 1	Washer 8.1	5	
–	N 12 006 1	Lock washer B 6 DIN 127	8	
–	N 10 210 1	Bolt, hex. head, M 6×10 DIN 933, galvanized . . .	8	
29	N 11 667 1	Washer 7.1	4	
30	N 13 890 1	Metal screw hex. head, S 6.3×13 DIN 7976	4	
–	211 703 611	Cover plate under pedal linkage (LHD) up to chassis No. 20 – 117 901	1	211–273
–	214 703 611	Cover plate under pedal linkage (RHD) up to chassis No. 20 – 117 901	1	214–274
31	211 703 621	Socket – Jack (square), front, left	1	
–	211 703 622	Socket – Jack (square), front, right	1	
32	211 703 631	Socket – Jack (square), rear	2	
–	211 703 651	Gusset – Side member, left	1	
33	211 703 652	Gusset – Side member, right	1	
–	215 703 705	Under floor plate, left	1	215, 216, 225, 228, 235, 237, 238, 241, 244
–	215 703 706	Under floor plate, right	1	215, 216, 225, 228, 235, 237, 238, 241, 244
–	215 703 715	Under floor plate, center	1	215, 216, 225, 228, 235, 237, 238, 241, 244
–	N 20 004 1	Grommet 16.5	6	215, 216, 225, 228, 235, 237, 238, 241, 244
BUMPERS				
34	211 707 105	Bumper, front	1	
–	211 707 135	Bracket – Bumper (front, left) up to chassis No. 20 – 117 901	1	

Key-No.	Part-No.	Description	Qty.	Type and model
35	211 707 135 A	Bracket – Bumper (front, left) from chassis No. 20 – 117 902 onward	1	
–	211 707 136	Bracket – Bumper (front, right) up to chassis No. 20 – 117 901	1	
–	211 707 136 A	Bracket – Bumper (front, right) from chassis No. 20 – 117 902 onward	1	
36	111 707 191	Screw – Bumper	6	
37	N 11 527 1	Washer 10.5 DIN 125, galvanized	4	
38	N 11 696 1	Washer 8.1 galvanized	4	
39	N 12 008 2	Lock washer B 8 DIN 127 galvanized	4	
40	N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	4	
41	N 10 325 1	Bolt, hex. head, BM 8×25 DIN 931	4	
42	N 11 670 1	Washer 8.1	6	
43	N 12 008 1	Lock washer B 8 DIN 127	6	
44	241 707 205	Moulding length 850 mm – Bumper, front	2	241, 244
–	241 707 211 A	Moulding length 650 mm – Bumper, front	2	241, 244
45	241 707 221	Rubber profile for moulding 241 707 205	2	241, 244
–	241 707 221 A	Rubber profile for moulding 241 707 211 A	2	421, 244
46	211 707 305	Bumper, rear	1	211–244, 271–274
–	261 707 305	Bumper, rear	1	261–264
47	211 707 329	Retaining plate	4	
48	N 12 008 2	Lock washer B 8 DIN 127 galvanized	4	
49	N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	4	
50	211 707 335	Bracket – Bumper (rear, left)	1	
–	211 707 336	Bracket – Bumper (rear, right)	1	


Key-No.	Part-No.	Description	Qty.	Type and model
51	N 10 252 1	Bolt, hex. head, M 10×20 DIN 933 galvanized	4	
52	N 11 697 1	Washer 10.1 galvanized	4	
53	N 12 010 1	Lock washer B 10 DIN 127	4	
54	N 11 010 2	Nut, hex., M 10 DIN 934 galvanized	4	
55	211 707 349	Screw – Bumper	4	
56	211 707 361	Cover plate, left	1	211–244, 271–274
–	261 707 361	Cover plate, left	1	261–264
57	211 707 362	Cover plate, right	1	211–244, 271–274
–	261 707 362	Cover plate, right	1	261–264
58	211 707 367	Bolt – Cover plate	2	
59	N 11 655 2	Washer 11.5 galvanized	2	
60	N 11 654 2	Washer 9.5 galvanized	2	
61	N 12 008 2	Lock washer B 8 DIN 127 galvanized	2	
62	N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	2	
63	211 707 379	Reinforcement plate	2	
64	N 10 240 2	Bolt, hex. head, M 8×20 DIN 933 galvanized	2	
65	N 12 008 2	Lock washer B 8 DIN 127 galvanized	2	
66	N 11 008 3	Nut, hex., M 8 DIN 934 galvanized	2	
67	211 707 381	Rubber buffer	2	
68	261 707 397	Rubber strip – Cover plate	2	
69	N 10 207 1	Bolt, hex. head, M 5×12 DIN 933 galvanized	4	
70	N 12 005 1	Lock washer B 5 DIN 127 galvanized	4	

Key-No.	Part-No.	Description	Qty.	Type and model
71	N 11 005 2	Nut, hex., M 5 DIN 934 galvanized	4	
72	241 707 411	Moulding, left – Bumper, rear	1	241, 244
–	241 707 412	Moulding, right – Bumper, rear	1	241, 244
73	N 13 447 1	Rivet – Button head, 6×12 DIN 660	4	
74	N 10 506 2	Screw, cup head, M 6×15 DIN 603 galvanized	8	241, 244
75	N 11 696 1	Washer 8.1 galvanized	8	241, 244
76	N 11 006 2	Nut, hex., M 6 DIN 934 galvanized	8	241, 244
77	241 707 421	Profile rubber for moulding, left, length 770 mm. ..	2	241, 244
–	241 707 422	Profile rubber for moulding, right, length 770 mm.	2	241, 244




Puzzle: Where is the salesman?

Where indeed? Gone to get a part from the stockroom? Out for a quick smoke? Discussing the racing results? We don't care where he is. He's not where he belongs — behind the counter. Customers expect to be waited on promptly.



Each part is Factory Engineered and Inspected




Key-No.	Part-No.	Description	Qty.	Type and model
HAND LEVER SYSTEM				
-	211 711 051	Gear lever lock (Anti-theft device "Sperrwolf") ...	×	
-	111 711 053	Key - Gear lever lock	×	
1	211 711 105	Ball housing - Gearshift lever	1	
2	111 711 115	Rubber boot - Gearshift lever	1	
3	211 711 121	Gearshift lever	1	
4	111 711 141	Knob - Gearshift lever (black)	1	211-238, 261-274
-	113 711 141	Knob - Gearshift lever (ivory)	1	241, 244
5	211 711 145	Spring - Gearshift lever	1	
6	111 711 149	Stop - Gearshift lever	1	
7	N 10 325 1	Bolt, hex. head, BM 8×25 DIN 931	2	
8	N 12 228 1	Spring washer B 8 DIN 137	2	
9	N 11 654 2	Washer 9.5 galvanized	2	
10	211 711 155	Rod - Gearshift, front	1	
11	211 711 169	Coupling, front - Gearshift rod	1	
12	211 711 171	Rod - Gearshift, rear	1	
13	111 711 175	Coupling, rear - Gearshift rod	1	
14	111 711 189	Screw - Gearshift rod coupling	4	
15	211 711 199	Guide spring - Gearshift rod, rear	1	
16	211 711 203	Guide - Gearshift rod, front	1	
17	211 711 209	Leaf spring - Gearshift rod, front	1	
-	211 711 305	Lever - Hand brake up to chassis No. 20 - 041 711	1	


Key-No.	Part-No.	Description	Qty.	Type and model
18	211 711 305 A	Lever – Hand brake from chassis No. 20 – 041 712 onward	1	
19	111 711 321	Pawl – Hand brake	1	
20	111 711 323	Pin – Hand brake pawl	1	
–	111 711 325	Rod – Hand brake pawl up to chassis No. 20 – 041 711	1	
21	211 711 325	Rod – Hand brake pawl from chassis No. 20 – 041 712 onward	1	
22	111 711 329	Spring – Pawl rod	1	
23	111 711 333 A	Release button – Hand brake lever (black)	1	211–238, 261–274
–	113 711 333 A	Release button – Hand brake lever (ivory)	1	241, 244
24	111 711 335	Washer – Hand brake lever	1	
–	111 711 339	Sector – Hand brake up to chassis No. 20 – 041 711	1	
25	211 711 339	Sector – Hand brake from chassis No. 20 – 041 712 onward	1	
–	111 711 341	Pin – Hand brake lever up to chassis No. 20 – 041 711	1	
26	211 711 341	Pin – Hand brake lever from chassis No. 20 – 041 712 onward	1	
–	N 12 415 1	Lockring 15×1 DIN 471	2	
27	N 12 460 1	Circlip 14 DIN 9045	2	
28	211 711 345	Link – Hand brake	1	
29	211 711 347	Pin – Hand brake link	1	
30	N 12 458 1	Circlip 10 DIN 9045	2	
31	211 711 391	Compensating lever from chassis No. 20 – 041 712 onward	1	
32	N 13 280 1	Bolt 10×22×18,5 DIN 1434 – Compensating lever from chassis No. 20 – 041 712 onward	1	
33	N 11 511 1	Washer 11,5 DIN 126	1	
34	N 12 530 1	Split pin 3×15 DIN 94	1	

Key-No.	Part-No.	Description	Qty.	Type and model
-	211 711 399	Link – Hand brake lever up to chassis No. 20 – 041 711	1	
-	N 11 565 1	Washer 15 DIN 433	2	
-	N 12 415 1	Lockring 15×1 DIN 471	2	
-	211 711 505	Cable – Choke control (length 3348 mm.) up to chassis No. 20 – 041 711	1	211–238, 261–274
-	241 711 505	Cable – Choke control (length 3348 mm.) up to chassis No. 20 – 041 711	1	241, 244
35	211 711 505 A	Cable – Choke control (Bowden), (length 3370 mm.) from chassis No. 20 – 041 712 onward	1	
36	111 941 541	Knob – Choke control cable (black)	1	211–238, 261–274
-	113 941 541	Knob – Choke control cable (ivory)	1	241, 244
37	111 711 531	Sleeve – Choke control cable up to chassis No. 20 – 041 711	1	
38	111 711 535	Grommet – Choke control cable (through cross scuttle)	1	
-	211 711 607	Cable – Heating control (length 2978/2963 mm.) ..	1	
-	211 711 607 A	Cable – Heating control (length 2891/2887 mm.) ..	1	
-	111 711 611	Knob – Heating control cable (black)	1	
-	211 711 629 A	Cable – Heating control (length 5735 mm.) up to chassis No. 20 – 117 901	1	
39	211 711 629 B	Cable – Heating control (length 5715 mm.) from chassis No. 20 – 117 902 onward	1	
40	111 711 623 A	Knob – Heating control cable (black)	1	211–238, 261–274
-	113 711 623 A	Knob – Heating control cable (ivory)	1	241, 244
41	N 12 829 1	Grooved pin, self-locking 3×16 DIN 1475	1	
-	111 711 655 A	Bolt – Heating control cable	1	
42	111 711 671 A	Spindle – Heating control cable	1	
43	111 711 675	Cap – Heating control cable	1	


Key-No.	Part-No.	Description	Qty.	Type and model
44	111 711 677	Spring washer	1	
45	111 711 681	Clevis – Heating control cable	1	
46	N 13 216 1	Dowel pin 4×14 DIN 7	1	
–	111 711 687	Retaining spring – Choke control cable (single control)	1	
47	111 711 691	Grommet	2	
48	211 711 705	Bowden cable – Fuel cock (length 2765 mm.)	1	211–244, 271–274
–	261 711 705	Bowden cable – Fuel cock (length 2180 mm.)	1	261–264
49	211 711 725	Cap – Bowden cable	1	



Every bulb,
no matter who makes it, is tested at the
Volkswagen factory.



Each part is Factory Engineered and Inspected




Key-No.	Part-No.	Description	Qty.	Type and model
FOOT LEVER SYSTEM				
1	214 721 105	Pedal bearing bracket (RHD) up to chassis No. 20 – 117 901	1	214-274
2	214 721 113	Bush – Brake pedal shaft (RHD)	1	214-274
3	N 18 515 1	Grease nipple	1	214-274
4	N 10 240 1	Bolt, hex. head, M 8×20 DIN 933	3	214-274
5	N 12 008 1	Lock washer B 8 DIN 127	3	214-274
6	214 721 115	Shim (RHD)	×	214-274
7	211 721 121	Shaft – Brake pedal (LHD)	1	211-273
8	N 18 530 1	Grease nipple	1	211-273
9	N 12 416 1	Lockring 16×1 DIN 471	2	211-273
10	N 11 567 1	Washer 17 DIN 433	2	211-273
11	214 721 125	Shaft – Brake pedal (RHD) up to chassis No. 20 – 117 901	1	214-274
12	211 721 139	Pedal – Brake, with bush (LHD) up to chassis No. 20 – 117 901	1	211-273
13	211 721 141	Lever – Brake pedal (LHD) from chassis No. 20 – 117 902 onward	1	211-273
14	214 721 141	Lever – Brake pedal (RHD) from chassis No. 20 – 117 902 onward	1	214-274
15	214 721 145	Brake lever on brake pedal shaft (RHD) from chassis No. 20 – 117 902 onward	1	214-274
16	N 10 335 1	Bolt, hex. head, M 8×35 DIN 931	1	214-274
17	214 721 151	Pedal – Brake (RHD) up to chassis No. 20 – 117 901	1	214-274
18	111 415 421	Bolt – Brake pedal	1	214-274
19	211 721 153	Bush – Brake and clutch pedals (LHD) up to chassis No. 20 – 117 901	2	211-273
20	211 721 153 A	Bush – Brake pedal lever from chassis No. 20 – 117 902 onward	1	
21	214 721 153	Bush – Clutch pedal (RHD)	1	214-274

Key-No.	Part-No.	Description	Qty.	Type and model
22	111 721 157	Key – Brake pedal lever	1	214-274
23	211 721 163	Return spring – Brake pedal lever up to chassis No. 20 – 117 901	1	
24	211 721 163 A	Return spring – Brake pedal lever (LHD) from chassis No. 20 – 117 902 onward	1	211-273
25	214 721 163	Return spring – Brake pedal lever (RHD)	1	214-274
26	214 721 171	Brake lever on brake pedal shaft (RHD) up to chassis No. 20 – 117 901	1	214-274
27	111 721 173	Rubber pad – Brake and clutch pedals	2	
–	211 721 205 A	Push bar 7 mm. dia. – Master cylinder 19	1	
28	211 721 205 B	Push bar 8 mm. dia. – Master cylinder 22,2	1	
29	N 13 239 1	Bolt 8×22×19 DIN 1434	1	
30	N 11 558 1	Washer 8.4 DIN 433	1	
31	N 12 512 1	Split pin 2×12 DIN 94	1	
32	211 721 233	Mounting bolt – Brake pedal lever	1	
33	211 721 235	Seat – Return spring	1	
34	N 11 567 1	Washer 17 DIN 433	1	
35	N 12 416 1	Lockring 16×1 DIN 471	1	
36	N 12 012 1	Lock washer B 12 DIN 127	1	
37	N 11 020 1	Nut, hex., M 12×1.5 DIN 934	1	
38	211 721 253	Pedal	2	
39	214 721 253	Pedal – Brake (RHD)	1	214-274
40	N 10 241 1	Bolt, hex. head, M 8×22 DIN 933	2	
41	N 12 008 1	Lock washer B 8 DIN 127	2	
42	N 11 008 1	Nut, hex., M 8 DIN 934	2	

Key-No.	Part-No.	Description	Qty.	Type and model
43	211 721 319	Pedal – Clutch, with bush (LHD) up to chassis No. 20 – 117 901	1	211–273
44	214 721 319	Pedal – Clutch (RHD) up to chassis No. 20 – 117 901	1	214–274
45	N 18 530 1	Grease nipple	1	214–274
46	211 721 319 A	Lever – Clutch pedal (LHD) from chassis No. 20 – 117 902 onward	1	211–273
47	214 721 319 A	Lever – Clutch pedal (RHD) from chassis No. 20 – 117 902 onward	1	214–274
–	211 721 335	Cable – Clutch (length 3136 mm.) (LHD) up to chassis No. 20 – 11 367	1	211–273
–	214 721 335	Cable – Clutch (length 3200 mm.) (RHD) up to chassis No. 20 – 117 901	1	214–274
48	211 721 335 B	Cable – Clutch (length 3126 mm.) (LHD) from chassis No. 20 – 11 368 onward	1	211–273
–	214 721 335 A	Cable – Clutch (length 3145 mm.) (RHD) from chassis No. 20 – 117 902 onward	1	214–274
49	N 13 233 1	Bolt 6×16×13 DIN 1434	1	
50	N 11 507 1	Washer 7 DIN 126	1	
51	N 12 502 1	Split pin 1.5×10 DIN 94	1	
52	214 721 539	Accelerator pedal shaft (RHD) up to chassis No. 20 – 117 901	1	214–274
53	N 11 006 1	Nut, hex., M 6 DIN 934	1	214–274
54	N 12 006 1	Lock washer B 6 DIN 127	1	214–274
55	111 721 349	Adjusting nut – Clutch cable	1	
56	N 11 006 1	Nut, hex., M 6 DIN 934	1	
–	111 721 355	Coupling – Clutch cable	1	
57	111 721 361	Sleeve – Clutch cable	1	
58	211 721 365	Rubber sleeve – Clutch cable	2	
59	214 721 367	Spacer (RHD)	1	214–274
60	214 721 369	Thrust washer (RHD)	1	214–274


Key-No.	Part-No.	Description	Qty.	Type and model
61	N 12 375 1	Lockring 30×1.5 DIN 471 (RHD)	1	214-274
62	211 721 374	Lever – Clutch cable (LHD)	1	211-273
63	N 12 010 1	Lock washer B 10 DIN 127	1	
64	N 11 010 1	Nut, hex., M 10 DIN 934	1	
65	214 721 377	Gasket (RHD)	1	214-274
66	214 721 379	Cap – Gasket (RHD)	1	214-274
67	211 721 383	Felt – Pedal	2	
68	211 721 385	Felt retainer	2	
69	211 721 509	Pedal – Accelerator (LHD) up to chassis No. 20 – 117 901	1	211-273
70	214 721 509	Pedal – Accelerator (RHD) up to chassis No. 20 – 117 901	1	214-274
71	N 13 271 1	Bolt 8×28×24 DIN 1434	1	
72	N 12 512 1	Split pin 2×12 DIN 94	1	
73	111 721 529 A	Bolt – Accelerator cable (front)	1	
74	N 11 512 1	Washer 5.8 DIN 126	1	
75	N 12 510 1	Split pin 2×10 DIN 94	1	
–	214 721 539	Accelerator pedal shaft (RHD) up to chassis No. 20 – 117 901	1	214-274
76	211 721 549	Return spring – Accelerator pedal	1	
–	211 721 555	Cable – Accelerator (length 3514 mm.) (LHD) up to chassis No. 20 – 117 901	1	211-273
–	211 721 555 A	Cable – Accelerator (length 3540 mm.) (RHD) up to chassis No. 20 – 117 901	1	214-274
77	211 721 555 A	Cable – Accelerator (length 3540 mm.) from chassis No. 20 – 117 902 onward	1	
–	N 13 225 1	Bolt 5×20×18 DIN 1434 – Accelerator cable	1	
78	111 721 567	Conduit – Accelerator cable, rear	1	
79	111 721 571	Tube – Accelerator cable spring	1	
80	111 721 575	Spring – Accelerator cable	1	

Key-No.	Part-No.	Description	Qty.	Type and model
81	111 721 577	Spring seat	1	
82	111 721 581	Attachment – Accelerator cable (rear)	1	
83	N 13 105 1	Grub screw M 5×5 DIN 551	1	
84	211 721 603	Pedal – Accelerator (LHD) from chassis No. 20 – 117 902 onward	1	211–273
85	214 721 603	Pedal – Accelerator (RHD) from chassis No. 20 – 117 902 onward	1	214–274
86	211 721 615	Push rod – Accelerator pedal (LHD)	1	211–273
87	214 721 615	Push rod – Accelerator pedal (RHD)	1	214–274
88	211 721 617	Compression spring – Accelerator pedal push rod	2	
89	211 721 619	Leaf spring – Accelerator pedal push rod	1	
90	211 721 621	Boot – Accelerator pedal push rod	1	
91	211 721 629	Bolt – Accelerator pedal mounting	1	
92	211 721 631	Lever – Accelerator cable connecting (LHD) from chassis No. 20 – 117 902 onward	1	211–273
93	N 13 242 1	Bolt 6×26×23 DIN 1434	1	211–273
94	N 11 524 1	Washer A 6.4 DIN 125	1	211–273
95	N 12 502 1	Split pin 1.5×10 DIN 94	1	211–273
96	214 721 631	Lever – Accelerator cable connecting (RHD) from chassis No. 20 – 117 902 onward	1	214–274
97	N 13 332 1	Pin 4×16 DIN 1481 – Accelerator pedal shaft	1	214–274
98	214 721 651	Bracket – Accelerator pedal shaft (RHD) up to chassis No. 20 – 117 901	1	214–274
99	N 10 216 1	Bolt, hex. head, M 6×18 DIN 933	2	214–274
100	N 12 006 1	Lock washer B 6 DIN 127	2	214–274
101	N 11 695 2	Washer 6.1 galvanized	2	214–274
102	214 721 663 A	Accelerator pedal shaft (RHD) from chassis No. 20 – 117 902 onward	1	214–274
103	N 12 438 1	C-Washer 9 DIN 6799	1	214–274



The pitiless eye.

Genuine VW Spare Parts are tested without fear or favor. A reject on the scrap heap comes cheaper than a dissatisfied VW driver.



Each part is Factory Engineered and Inspected