



LACQUERS

L - Lacquer, nitrocellulose; LK - 80° oven-drying lacquer; LKL - Lacquer, synthetic resin, air drying (enamel)

Part No.	Description	Qty.	Production run
LACQUERS			
1 kg cans			
L 10 B	LKL 10 B	texas yellow	1 8/71 -
L 12 D	LKL 12 D	Shantung yellow	1 8/70 - 7/71
L 20 B	LKL 20 B	brilliant orange	1 8/71 -
L 20 D	LKL 20 D	clementine	1 8/69 - 7/71
L 30 A	LKL 30 A	royal red	1 8/68 - 7/70
L 30 B	LKL 30 B	kasan red	1 8/71 -
L 31 F	LKL 31 F	iberian red	1 8/70 - 7/71
L 41	LKL 41	black	1 4/61 -
L 43		grey-black	1 4/61 -
L 46		lava	1 4/61 -
L 50 B	LKL 50 B	diamond blue	1 8/67 - 7/70
L 50 D	LKL 50 D	Sapphire blue	1 8/70 -
L 50 F	LKL 50 F	regatta blue	1 8/67 - 7/68
L 51 B	LKL 51 B	gentian blue	1 8/71 -
L 54 D	LKL 54 D	Marina blue	1 8/70 - 7/71
L 61 B	LKL 61 B	sumatra green	1 8/71 -
L 60 B	LKL 60 B	Peru green	1 8/67 - 7/69
L 60 D	LKL 60 D	elm green	1 8/69 - 7/71
L 66 B	LKL 66 B	deep sea green	1 8/67 - 7/71
L 70 F	LKL 70 F	chinchilla (grey)	1 8/68 - 7/70
L 87	LKL 87	pearl white	1 4/61 - 7/67
L 90 C	LKL 90 C	toga white	1 8/68 - 7/69
L 90 D	LKL 90 D	pastel white	1 8/69 -
L 91		chrome colored	1 4/61 -
L 91.7		chrome colored 125 g	1 4/61 -
L 91 D	LKL 91 D	kansas beige	1 8/70 -
	LKL 95 B	turquoise metallic	1 8/71 -
	LKL 96 D	silver metallic	1 8/69 -
	LKL 96 E	Gemini metallic (blue)	1 8/70 -
	LKL 97 D	Colorado metallic (red)	1 8/69 -
	LKL 98 D	brown metallic	1 8/69 - 7/70
L 282	LKL 282	lotus white	1 8/67 - 7/68
L 289	LKL 289	blue-white	1 8/63 - 7/65
L 360	LKL 360	sea blue	1 8/63 - 7/65
L 390	LKL 390	gulf blue	1 4/61 - 7/63
L 392		misty grey	1 4/61 - 7/63
L 393		royal blue	1 4/61 - 7/63
L 456	LKL 456	ruby red	1 8/63 - 7/65
L 457		cadmium red	1 4/61 - 7/63
L 464		slate	1 4/61 - 7/63

L 466		silver beige	1	4/61 - 7/62
L 469	LKL 469	anthracite	1	4/61 - 7/63
L 471		stone beige	1	4/61 - 7/63
L 479		clay beige	1	4/61 - 7/63
L 511	LKL 511	birch green	1	4/61 - 7/64
L 512	LKL 512	velvet green	1	8/64 - 7/65
L 539	LKL 539	Baltic blue	1	8/64 - 7/67
L 563	LKL 563	Safari beige	1	8/63 - 7/65
L 568	LKL 568	sea sand	1	8/64 - 7/67
L 575	LKL 575	Nutria (brown)	1	8/63 - 7/64
L 610	LKL 610	Delta green	1	8/65 - 7/67
L 620	LKL 620	savanna beige	1	8/67 - 7/70
L 630	LKL 630	cobalt blue	1	8/68 - 7/70
L 633	LKL 633	VW blue	1	8/65 - 7/68
L 650	LKL 650	Granada red	1	8/65 - 7/68

MIXING ENAMELS

		1 kg cans		
LM 10	LKM 10	green	1	
LM 11	LKM 11	dark green	1	
LM 12	LKM 12	yellow-green	1	
LM 30	LKM 30	medium blue	1	
LM 31	LKM 31	dark blue	1	
LM 32	LKM 32	blue	1	
LM 33	LKM 33	violet	1	
LM 40	LKM 40	black	1	
LM 50	LKM 50	fiery red	1	
LM 51	LKM 51	ruby red	1	
LM 53	LKM 53	orange	1	
LM 54	LKM 54	red	1	
LM 55	LKM 55	wine red	1	
LM 60	LKM 60	yellow	1	
LM 61	LKM 61	ochre	1	
LM 62	LKM 62	yellow	1	
LM 70	LKM 70	red-brown	1	
LM 80	LKM 80	white	1	
LM 90	LKM 90	aluminium	1	

STRUCTURE LACQUERS

		0.5 kg cans		
SL 43.5		grey-black	1	
SL 46.5		lava	1	
SL 47.5		asphalt	1	
SL 72.5		light beige	1	
SL 443.5		crackle finish grey	1	
SL 581.5		cloud white	1	

SL 596.5	tin grey	1
SL 652.5	scarlet	1
SL 662.5	almond beige	1
SL 672.5	rust	1
SL 770.5	moro (brown)	1
SL 772.5	dark brown	1

PAINT TOUCH-UP APPLICATORS

L 10 B. 1	texas yellow	1
L 12 D. 1	Shantung yellow	1
L 20 B. 1	brilliant orange	1
L 20 D. 1	clementine	1
L 30 A. 1	royal red	1
L 30 B. 1	kasan red	1
L 31 F. 1	Iberian red	1
L 41. 1	black	1
L 50 B. 1	diamond blue	1
L 50 D. 1	Sapphire blue	1
L 50 F. 1	regatta blue	1
L 51 B. 1	gentian blue	1
L 54. 1	poppy red	1
L 54 D. 1	Marina blue	1
L 60 B. 1	Peru green	1
L 60 D. 1	elm green	1
L 61 B. 1	sumatra green	1
L 66 B. 1	deep sea green	1
L 70 F. 1	chinchilla (grey)	1
L 87. 1	pearl white	1
L 90 C. 1	toga white	1
L 90 D. 1	pastel white	1
L 91 D. 1	kansas beige	1
L 95 B. 1	turquoise metallic	1
L 96D. 1	silver metallic	1
L 96E. 1	gemini metallic (blue)	1
L 97D. 1	Colorado metallic (red)	1
L 98D. 1	brown metallic	1
L 282. 1	lotus white	1
L 289. 1	blue-white	1
L 360. 1	sea blue	1
L 390. 1	gulf blue	1
L 456. 1	ruby red	1
L 469. 1	anthracite	1
L 511. 1	birch green	1
L 512. 1	velvet green	1
L 539. 1	Baltic blue	1
L 563. 1	Safari beige	1
L 568. 1	sea sand	1
L 575. 1	Nutria (brown)	1

L 610.1	Delta green	1
L 620.1	savanna beige	1
L 630.1	cobalt blue	1
L 633.1	VW blue	1
L 650.1	Granada red	1

SPRAY CANS

L 10 B. 3	texas yellow	1
L 12 D. 3	Shantung yellow	1
L 20 B. 3	brilliant orange	1
L 20 D. 3	clementine	1
L 30 A. 3	royal red	1
L 30 B. 3	kasan red	1
L 31 F. 3	Iberian red	1
L 41.3	black	1
L 50 B. 3	diamond blue	1
L 50 D. 3	Sapphire blue	1
L 50 F. 3	regatta blue	1
L 51 B. 3	gentian blue	1
L 54.3	poppy red	1
L 54 D. 3	Marina blue	1
L 60 B. 3	Peru green	1
L 60 D. 3	elm green	1
L 61 B. 3	sumatra green	1
L 66 B. 3	deep sea green	1
L 70 F. 3	chinchilla	1
L 87.3	pearl white	1
L 90 C. 3	toga white	1
L 90 D. 3	pastel white	1
L 91.3	chrome colored	1
L 91.4	chrome colored	1
L 91 D. 3	kansas beige	1
L 282.3	lotus white	1
L 289.3	blue-white	1
L 360.3	sea blue	1
L 390.3	gulf blue	1
L 456.3	ruby red	1
L 469.3	anthracite	1
L 511.3	birch green	1
L 512.3	velvet green	1
L 539.3	Baltic blue	1
L 563.3	Safari beige	1
L 568.3	sea sand	1
L 575.3	Nutria (brown)	1
L 610.3	Delta green	1
L 620.3	savanna beige	1
L 630.3	cobalt blue	1
L 633.3	VW blue	1
L 650.3	Granada red	1

SERVICING MATERIALS AND SEALING COMPOUNDS

Part No.	Description	Qty.	Use
PRIMERS AND FILLERS			
L 100	Varnish 850 g	1	For 2-layer metallic paint
LK 100	80° C Varnish 1 kg		
L 101	Hardener 120 g	1	For L ... varnish for 2 layer metallic paint
LK 101	Additive solution 350 g	1	For 80° C L... varnish for 2 layer metallic paint
L 140	Primer, red-brown 2.5 kg	1	Repair primer for small areas only.
L 140.3	Primer, red-brown (spray can)	1	Otherwise use LKL 145
L 142	Spotting putty, grey-green 1 kg	1	For smoothing out minor unevenness on paint rectification work. Otherwise use LKL 146
L 143	Wash primer glazing 1 kg	1	Metal adhesion and priming of surface. Use only with L 144
L 144	Additive solution 0.5 kg	1	For wash primer
L 144.1	Additive solution 2.5 kg	1	
L 144.2	Additive solution 11.5 kg	1	
L 145	Combination filler 2.5 kg	1	As intermediate layer to ensure good filling
LK 145	80° C filler 5 kg	1	
L 145.1	Combination filler 1 kg	1	
LKL 146.1	Universal filler, grey 5 kg	1	For smoothing of minor roughness but not on naked metal. Pretreatment by L 143
LKL 146.2	Universal filler, grey 1.5 kg	1	
LKL 148	Dual component Polyester filler with hardener 1 kg	1	For smoothing of major roughness
LKL 148.1	Dual component Polyester filler with hardener 2 kg	1	
LKL 148.2	Dual component Polyester filler without hardener 1 kg	1	For smoothing of major roughness Use only with LKL 149.
LKL 148.3	Dual component Polyester filler without hardener 2 kg	1	

LKL 149	Hardener 40 g	1	For dual component Polyester filler
LKL 150	Cold zinc paint, grey 1 kg	1	As corrosion protection for body parts which cannot be painted and for use as spot-welding paint
LKL 151	Chassis paint, black 1 kg	1	For painting frame and axle parts
L 153	Wash primer covering green 900 g	1	Metal adhesion and priming of surface.
L 153.1	Wash primer covering green 5 kg	1	Use only with L 144
L 153.2	Wash primer covering green 23 kg	1	
LKL 154	Bonding agent 1 kg	1	Bonding agent between unsanded old paint and new paint (wet on wet process)
L 179	Silicone remover	1	For removing Silicone from surfaces prior to repainting

THINNERS

L 160	Thinner for nitrocellulose lacquer 2.5 kg	1	For thinning primers, fillers and L... paints and for softening of L 145
L 160.6	Thinner for nitrocellulose lacquer (returnable 20 kg can)	1	
L 160.7	Thinner for nitrocellulose lacquer (in 170 kg returnable drum)	1	
L 160.8	Thinner for nitrocellulose lacquer (20 kg non-returnable can)	1	
L 160.9	Thinner for nitrocellulose lacquer (in 170 kg non-returnable drum)	1	
LKL 160	Thinner for synthetic resin lacquer 2.5 kg	1	For thinning of LKL... single tone paints and for softening of LKL 146
LKL 160.1	Thinner for nitrocellulose lacquer 1 kg	1	
LKL 160.6	Thinner for synthetic resin lacquer (returnable 20 kg can)	1	
LKL 160.7	Thinner for synthetic resin lacquer (in 160 kg returnable drum)	1	
LKL 160.8	Thinner for synthetic resin lacquer (20 kg non-returnable can)	1	
LKL 160.9	Thinner for synthetic resin lacquer (in 160 kg non-returnable drum)	1	
LKL 161	Thinner for synthetic resin lacquer 2.5 kg	1	For thinning LKL... metallic paints and for softening of LK 145
LKL 162	Thinner for synthetic resin lacquer 2.5 kg	1	For thinning LKL ... 2-layer metallic painting and thinning LKL 145
L 180.5	Polishing paste 0.5 kg	1	For polishing areas painted with L ... paints

LUBRICANTS

G 2	Graphite 250 g	1	Care of lock cylinder
G 4	Lubricant 1 kg	1	Lubrication of all rotary latch locks, door and hood hinges
G 6	Grease 60 g	1	For lubricating the constant velocity joints

SEALING COMPOUNDS AND ADHESIVES

D 1 A	Sealing compound for housings 1 kg	1	Sealing of transmission cases
D 2	Sealing compound for housings 140 g	1	Sealing of engine and transmission cases
D 3	Sealing compound for housings 175 g	1	
D 10	Glazing cement 1 kg	1	Sealing of window glasses
D 10.5	Glazing cement 375 g	1	
D 11	Plastic glue 800 g	1	For PVC foils and leatherette
D 12	Universal adhesive 1 kg	1	For sticking of sound deadeners, insulation, rubber parts, carpeting, upholstery filler, textiles and polyethylene foil
D 14	Sealing compound 1 kg	1	Weather-resistant sealing of joints between wood, steel and plastic parts, e.g. slats on Pick-Up
D 17	Sealing compound 750 g	1	For sealing of spot weld seams and joints in frame seal
D 19	Plastic sealing strip 1 roll	1	Stopping leaks, sealing between front fender (rear edge) and front side panel on Type 3
D 20	Joint sealer 750 g	1	Application to visible joints and folds (e.g. roof members on Type 3) (paintable)
D 21	Rubber adhesive 350 g	1	Sticking rubber parts to metal

D 25	Hard foam for body cavities 1000 ccm	1	For filling body cavities
D 26	Mixing bottle for hard foam	1	Plastic bottle for applying the liquid hard foam components D 25 A and B, including three foaming nozzles
D 27	Polyester body repair kit (Workshop size)	1	For eliminating large areas of enst. Workshop pack
D 28	Polyester body repair kit (small size)	1	like D 27, but with 200 grm. of filler. Small pack for consumer use

BRAKE FLUIDS AND PASTES

B 1	Brake cylinder paste 180 g	1	For fitting hydraulic brake components
B 2	Genuine brake fluid 1 liter	1	For filling hydraulic brake system
B 3	Genuine brake fluid 5 liters	1	
B 5	Genuine brake fluid 0.25 liter	1	

LUBRICANTS

G	Graphite 250 g	1	Care of lock cylinder
G 4	Lubricant for locks and hinges 1 kg	1	Lubrication of all rotary latch locks, door and hood hinges

SEALING COMPOUNDS AND ADHESIVES

D 1 A	Sealing compound for housings 1 kg	1	Sealing of transmission cases
D 2	Sealing compound for housings 140 g	1	Sealing of engine and transmission cases
D 3	Sealing compound for housings 175 g	1	
D 10	Glazing cement 1 kg	1	Sealing of window glasses
D 10.5	Glazing cement 375 g	1	
D 11	Plastic glue 800 g	1	For PVC foils and leatherette
D 12	Universal adhesive 1 kg	1	For sticking of sound deadeners, insulation, rubber parts, carpeting, upholstery filler, textiles and polyethylene foil
D 14	Sealing compound 1 kg	1	Weather-resistant sealing of joints between wood, steel and plastic parts, e.g. slats on Pick-Up
D 17	Sealing compound 750 g	1	For sealing of spot weld seams and joints in frame seal
D 19	Plastic sealing strip 1 roll	1	Stopping leaks, sealing between front fender (rear edge) and front side panel on Type 3
D 20	Joint sealer 750 g	1	Application to visible joints and folds (e.g. roof members on Type 3) (paintable)
D 21	Rubber adhesive 350 g	1	Sticking rubber parts to metal

D 25	Hard foam for body cavities 1000 ccm	1	For filling body cavities
D 26	Mixing bottle for hard foam	1	Plastic bottle for applying the liquid hard foam components D 25 A and B, including three foaming nozzles
D 27	Polyester body repair kit (Workshop size)	1	For eliminating large areas of enst. Workshop pack
D 28	Polyester body repair kit (small size)	1	like D 27, but with 200 grm. of filler. Small pack for consumer use

BRAKE FLUIDS AND PASTES

B 1	Brake cylinder paste 180 g	1	For fitting hydraulic brake components
B 2	Genuine brake fluid 1 liter	1	For filling hydraulic brake system
B 3	Genuine brake fluid 5 liters	1	
B 5	Genuine brake fluid 0.25 liter	1	